



Developing profitable customers



DENS-X COMPACTOR

PARTS LIST

This parts list

Version: DENS-X.PL.11

From chassis number: 20428001


Instructions for ordering spare parts

Illustrated parts are marked with part numbers.

To avoid errors, each part order must include the following information:

- Part number and description of part
- Quantity of parts required
- Chassis number

The chassis number is stamped into the model identification plate on the machine. It is essential to quote this chassis number in full in all enquiries and spare part orders.



Chassis no.

Disclaimer

The original parts used on an Orkel® machine are designed and built to provide optimum fit, function, safety, and structural integrity. For this reason, Orkel® DOES NOT in any circumstance approve of the use of aftermarket, gray market, or imitation parts.

The information provided by Orkel® hereunder is provided “as is, where is” and with all faults, and the entire risk associated with such information is entirely with the Buyer.

Orkel® does not grant, explicitly or implicitly, to any party any patent rights, licenses, or any other IP rights, whether with regard to such information itself or anything described by such information.

Information provided in this document is proprietary to Orkel®, and Orkel® reserves the right, at its sole discretion, to make any changes or modification to the information in this document or to any products and services at any time without notice.

Orkel® does not assume responsibility for any damages associated with a machine and/or part failure caused by the use of parts other than genuine Orkel® replacement parts, neither do we assume responsibility for any changes to the product made after initial delivery.



Johan Gjønnnes' veg 25
7320 Fannrem
Norway



Spare parts:

+47 913 23 511

Technical Support:

+47 918 43 553




parts@orkel.no



orkel.com




User resources
orkel.no/qr/dens-x






CONTENTS


- 1 Feed hopper F25
 - 2 ① Front chamber
 - 3 ① Wrapping table
 - 4 Frame
 - 5 Belts
 - 6 Hydraulics
 - 7 Electric
 - 8 Flexible drawbar
 - 9 Elevator
 - 10 Cover and film roll holder
 - 11 Plastic tying unit
 - 12 Wheel suspension
 - 13 Stairs
 - 14 Wrapping arms
 - 15 Optional equipment
 - 16 Platform
 - 17 Central lubrication system
- ② Rear chamber
 - ② Wrapping table with weighing system



80213





DETAIL A




| Part number | Qty | Description |
|-------------|-----|-----------------------------|
| 12023 | 2 | Washer M4 |
| 13206 | 2 | Lock nut M4 |
| 13614 | 2 | Pan bolt M4x16 |
| 15536 | 3 | Circlip A25 x 2 |
| 16305 | 2 | Sticker, Orkel |
| 59987 | 2 | Cylinder |
| 59988 | 2 | Cylinder |
| 59989 | 4 | Cylinder |
| 78645 | 1 | Switchbase rear |
| 78862 | 1 | Bracket flip control |
| 78865 | 2 | Bracket for Led light, flip |
| 79804 | 3 | Washer cylinder retainer |
| 80004 | 1 | Emergency switch |
| 80068 | 1 | Cylinder |
| 80655 | 1 | Control unit for F25 |
| 81076 | 2 | Rear/stop light LED |







| Part number | Qty | Description |
|-------------|-----|---------------------------------------|
| 12060 | 34 | Washer 10,5 DIN 125A -140HV FZV |
| 12236 | 2 | Spring washer M6 |
| 13210 | 17 | Lock nut M10 |
| 16520 | 2 | Bolt M6x65, untreated, black |
| 59248 | 1 | Top plate for plastic clamp |
| 59325 | 2 | Plastic clamps 35 mm |
| 81469 | 1 | Ultrasonic sensor mic + 130 / IU / TC |
| 78885 | 1 | Shim plate for end switch |
| 78982 | 2 | Bracket for side marker light |
| 79311 | 1 | Mount for ultrasonic sensor |
| 79374 | 1 | Vibration absorber for US sensor |
| 80597 | 1 | End switch |
| 81037 | 1 | Agripoint Full LED 5 pin connector |
| 81038 | 1 | Marker light, left LED |
| 81039 | 1 | Marker light, right LED |
| 82313 | 1 | Shims |


| Part number | Qty | Description |
|-------------|-----|-----------------------------------|
| 10667 | 4 | Bolt M24x200 |
| 12067 | 1 | Washer M12 DIN 125A |
| 12093 | 8 | Washer 25 DIN 125A -140HV FZV |
| 13217 | 4 | Lock nut M24 |
| 59989 | 4 | Cylinder |
| 78162 | 2 | Bolt 30mm with welded head flange |
| 78504 | 1 | Case console right |
| 78505 | 1 | Case console left |
| 80410 | 1 | Pipe clamp double 14 mm |
| 59586 | 1 | Pipe clamp double 22 mm |
| 80156 | 4 | Hose fixing |
| 78188 | 2 | Bush-cylinder |
| 78187 | 2 | Distance tube |
| 78186 | 2 | Stages pipe short |
| 10502 | 2 | Bolt M16x100 |
| 78144 | 1 | Stages pipe |
| 80230 | 1 | Slide bearing c |
| 80229 | 1 | Slide bearing b |
| 12078 | 6 | Washer 17 DIN 125A -140HV FZV |
| 13213 | 2 | Lock nut M16 |
| 10356 | 1 | Bolt M12 x 50 DIN 931 8.8 FZV |
| 13211 | 1 | Lock nut M12 |




| Part number | Qty | Description |
|-------------|-----|----------------------------------|
| 13011 | 8 | Nut M12 |
| 54558 | 1 | Cable gland PG 11 |
| 57577 | 4 | Plain bearing Ø40/44x55x25 |
| 59990 | 4 | Hydraulic motor |
| 59993 | 2 | Taperlock hub |
| 78131 | 1 | Auger left |
| 78132 | 1 | Worm screw, right |
| 78133 | 2 | Motor taper hub |
| 78157 | 2 | Arm tube |
| 78158 | 1 | Ear, left |
| 78159 | 1 | Ear, right |
| 78160 | 1 | Hinge bolt long |
| 78161 | 1 | Hinge bolt short |
| 78164 | 1 | Cover sheet, right |
| 78168 | 4 | Distance ring motor |
| 78169 | 1 | Sheet center left |
| 78188 | 2 | Bush-cylinder |
| 78520 | 1 | Cylinder bracket |
| 78648 | 2 | Service cover |
| 78649 | 1 | Seal ear right |
| 78650 | 1 | Seal ear left |
| 78829 | 1 | Bracket, ultra sound sensor, F25 |
| 78885 | 1 | Shim plate for end switch |
| 79874 | 1 | Shim, Ø60/47 x 1 |
| 79875 | 1 | Shim, Ø60/47 x 0,5 |





| Part number | Qty | Description |
|-------------|-----|---|
| 12078 | 6 | Washer 17 DIN 125A -140HV FZV |
| 13213 | 4 | Lock nut M16 |
| 78136 | 1 | Base frame |
| 78137 | 1 | Angle sheet |
| 78139 | 2 | Cube reinforcement bar |
| 78502 | 1 | Angled mount |
| 78503 | 1 | Angled mount |
| 78841 | 1 | Extension angle sheet |
| 80410 | 1 | Pipe clamp double 14 mm |
| 59586 | 1 | Pipe clamp double 22 mm |
| 78515 | 1 | Slide bearing cube b with stepped holes |
| 78141 | 1 | Slide bearing cube |
| 78883 | 2 | Shims for glider |
| 78506 | 1 | Cube plate w/nut for cylinder |
| 78144 | 1 | Stages pipe |
| 12278 | 2 | Spring washer 16,2 DIN 127 B FZV |
| 15182 | 2 | Bolt M16 x 180, ISO 4762 |
| 78508 | 1 | Cube plate backlight support |
| 15183 | 4 | Bolt M16 x 200, ISO 4762 |
| 78507 | 1 | Cube plate w/nut for cylinder |





| Part number | Qty | Description |
|-------------|-----|----------------------------------|
| 10321 | 16 | Bolt M10x150 |
| 10506 | 2 | Bolt M16x140 |
| 12060 | 34 | Washer 10,5 DIN 125A -140HV FZV |
| 13210 | 17 | Lock nut M10 |
| 78186 | 2 | Stages pipe short |
| 78187 | 2 | Distance tube |
| 78140 | 1 | Frame elevator |
| 80231 | 4 | Slide bearing s |
| 78142 | 2 | Slide bearing cube |
| 82164 | 2 | Shims for glider, upper |
| 78509 | 1 | Cube plate for cylinder left |
| 78510 | 1 | Cube plate for cylinder right |
| 78147 | 2 | Cube plate s cylinder right |
| 78511 | 2 | Lock plate |
| 80410 | 1 | Pipe clamp double 14 mm |
| 80411 | 1 | Topp-Plate 14-18mm dobbel Stauff |
| 10213 | 1 | Bolt M6x40 |





| Part number | Qty | Description |
|-------------|-----|----------------------------------|
| 10240 | 4 | Bolt M8 x 16 DIN 933 8.8 FZV |
| 10246 | 24 | Bolt M8 x 25 DIN 933 8.8 FZV |
| 10363 | 1 | Bolt M12x80 |
| 12047 | 26 | Washer 8,4 DIN 125A -140HV FZV |
| 12067 | 18 | Washer 13 DIN 125A -140HV FZV |
| 12147 | 2 | Washer 8,4 x 24 x 2 DIN 9021 FZV |
| 12247 | 24 | Spring washer 8,1 DIN 127 B FZV |
| 19414 | 2 | Sprocket |
| 55434 | 2 | Spring |
| 55459 | 2 | Bearing 6304 2RS |
| 57577 | 4 | Plain bearing Ø40/44x55x25 |
| 58414 | 2 | Chain lock 1" |
| 59995 | 1 | Chain left |
| 60002 | 2 | Bearing 6009 2 RS |
| 78165 | 1 | Cover sheet, left |
| 78167 | 2 | Bearing housing |
| 78168 | 4 | Distance ring motor |
| 78190 | 2 | Sprocket z15 |
| 78193 | 2 | Distance sprocket long |
| 78195 | 2 | Tensioner loop |
| 78647 | 1 | Switchbase left |
| 78648 | 2 | Service cover |
| 78650 | 1 | Seal ear left |
| 79397 | 1 | Threaded rod M12x400 |
| 80410 | 1 | Pipe clamp double 14 mm |
| 78163 | 1 | Tensioner |



| Part number | Qty | Description |
|-------------|-----|------------------------------------|
| 78175 | 1 | Sealing strip |
| 78179 | 1 | Link plate scraper left |
| 78196 | 2 | Link plate thread bar |
| 78197 | 1 | Link plate clamp |
| 78521 | 1 | Link plate hinge |
| 11516 | 16 | Countersunk bolt M6x12 |
| 12159 | 2 | Washer 6,4 x 18 x 1,6 DIN 9021 FZV |
| 13208 | 2 | Lock nut M6 |
| 78180 | 1 | Link plate scraper right |





| Part number | Qty | Description |
|-------------|-----|--|
| 11523 | 13 | Countersunk bolt M5x20 |
| 35618 | 1 | Warning triangle, large |
| 55233 | 1 | Key 14x9x56 |
| 57577 | 2 | Plain bearing Ø40/44x55x25 |
| 59992 | 2 | Bearing PMEY45 |
| 78146 | 1 | Arc plate rear left |
| 78150 | 2 | Bolt 25mm with welded flange head |
| 82813 | 1 | Chassis left |
| 78153 | 1 | Chassis middle left |
| 78178 | 5 | Clamp plate |
| 78182 | 2 | Chainguide |
| 78185 | 6 | Glider rail |
| 78191 | 1 | Chain wheel |
| 78198 | 2 | Tensioner |
| 78500 | 1 | Bolt 30mm, with welded flange head |
| 78524 | 1 | Roller, rear |
| 78525 | 1 | Roller, front |
| 78535 | 1 | Sealing strip, belt right |
| 78539 | 1 | Sealing strip rear |
| 78540 | 1 | Square pipe |
| 78542 | 1 | Stop plate left |
| 78693 | 1 | Bolt 30mm with welded head flange |
| 78842 | 1 | Bracket, triangle for slow vehicle |
| 78964 | 6 | Hose clamps ø14, complete, Stauff |
| 10223 | 1 | Bolt M6x75 |
| 78966 | 1 | Hose clamps ø14 long, complete, Stauff |
| 79676 | 1 | Angle steel, long |
| 79678 | 1 | Clamp strip, long |
| 79679 | 2 | Clamp strip, short |
| 79821 | 1 | Cableprotection |
| 80155 | 1 | Sealing strip, wall front |
| 80210 | 2 | Threaded rod for tensioner |
| 80716 | 1 | Sealing strip, belt, left |
| 82556 | 1 | Plastic rail, F25 |



Compactor
Feed hopper F25


| Part number | Qty | Description |
|-------------|-----|-------------------------------------|
| 10348 | 4 | Bolt M12 x 30 DIN 933 8.8 FZV |
| 11523 | 13 | Countersunk bolt M5x20 |
| 12067 | 12 | Washer 13 DIN 125A -140HV FZV |
| 13211 | 4 | Lock nut M12 |
| 15323 | 4 | Bolt M12x35 |
| 55233 | 1 | Key 14x9x56 |
| 57577 | 2 | Plain bearing Ø40/44x55x25 |
| 59992 | 2 | Bearing PMEY45 |
| 78145 | 1 | Mount |
| 78149 | 1 | Arc plate rear |
| 78150 | 1 | Bolt 25mm with welded flange head |
| 78151 | 1 | Bolt 30mm with welded head flange |
| 78154 | 1 | Chassis middle right |
| 82814 | 1 | Chassis right |
| 78178 | 8 | Clamp plate |
| 78182 | 2 | Chainguide |
| 78185 | 6 | Glider rail |
| 78189 | 2 | Distance sealsheet |
| 78191 | 1 | Chain wheel |
| 78198 | 2 | Tensioner |
| 78199 | 1 | Bolt 30mm with welded head flange |
| 78517 | 1 | Guide for sidewall, complete, right |
| 78516 | 1 | Guide for sidewall |
| 80884 | 1 | Bearing |
| 10352 | 1 | Bolt M12 x 40 DIN 933 8.8 FZV |
| 78524 | 1 | Roller, rear |
| 78525 | 1 | Roller, front |
| 78529 | 1 | Rooftop |
| 78530 | 1 | Seal sheet |
| 78536 | 1 | Sealing strip, rooftop front |
| 78537 | 1 | Sealing strip, rooftop side |
| 78538 | 1 | Sealing strip, rooftop rear |
| 78539 | 1 | Sealing strip rear |
| 78540 | 1 | Square pipe |
| 78541 | 1 | Stop plate right |
| 78964 | 5 | Hose clamps ø14, complete, Stauff |
| 79677 | 2 | Angle steel, short |
| 79678 | 1 | Clamp strip, long |
| 79679 | 2 | Clamp strip, short |
| 79801 | 2 | Shims 1mm |
| 79821 | 1 | Cableprotection |
| 80155 | 1 | Sealing strip, wall front |
| 80210 | 2 | Threaded rod for tensioner |
| 80716 | 1 | Sealing strip, belt, left |
| 82423 | 1 | Nut plate |
| 82555 | 1 | Plastic rail, F25 |






| Part number | Qty | Description |
|-------------|-----|--|
| 78148 | 1 | Arc plate front |
| 78531 | 1 | Seal right, arc plate front |
| 78532 | 1 | Seal left, arc plate front |
| 78177 | 1 | Clamp plate front |
| 78533 | 1 | Seal, arc2pvc |
| 78528 | 1 | Ptfe plate |
| 80717 | 1 | Seal left, arc plate front |
| 10205 | 6 | Bolt M6 x 20 DIN 933 |
| 12036 | 6 | Washer 6,4 DIN 125A -140HV FZV |
| 78523 | 18 | Carrier |
| 50015 | 6 | Chain link Kohlswa Ewart 78 |
| 78135 | 1 | Hopper belt |
| 15602 | 154 | Lock nut M6, rust free |
| 15907 | 154 | Screw M6 x 14 ISO 7380-2 (flange) TX30 |


| Part number | Qty | Description |
|-------------|-----|-----------------------|
| 79946 | 1 | Floor |
| 78181 | 6 | Glider rail |
| 13620 | 66 | Wood screw M5x30 TX20 |





| Part number | Qty | Description |
|-------------|-----|--------------------------------|
| 10244 | 34 | Bolt M8 x 20 DIN 933 8.8 FZV |
| 10246 | 3 | Bolt M8 x 25 DIN 933 8.8 FZV |
| 12047 | 74 | Washer 8,4 DIN 125A -140HV FZV |
| 13209 | 37 | Lock nut M8 |
| 78184 | 1 | Wall, rear left |
| 78526 | 1 | Flat bar for wall rear |
| 78543 | 1 | U-post |
| 78544 | 1 | U-profil |
| 78545 | 1 | Wall front left |
| 13041 | 1 | Weld nut M10 |
| 78628 | 1 | Wall rear, left side |
| 78629 | 1 | Wall front, left side |




| Part number | Qty | Description |
|-------------|-----|------------------------|
| 78156 | 1 | Wall rear, right |
| 78274 | 1 | Wall rear, right side |
| 78453 | 1 | Wall front, right side |
| 78526 | 1 | Flat bar for wall rear |
| 78543 | 1 | U-post |
| 78544 | 1 | U-profil |
| 78546 | 1 | Wall front right |
| 13041 | 1 | Weld nut M10 |




| Part number | Qty | Description |
|-------------|-----|----------------------------------|
| 10244 | 7 | Bolt M8 x 20 DIN 933 8.8 FZV |
| 10295 | 2 | Bolt M10 x 20 DIN 933 8.8 FZV |
| 10299 | 2 | Bolt M10 x 30 DIN 933 8.8 FZV |
| 10303 | 5 | Bolt M10 x 40 DIN 933 8.8 FZV |
| 10307 | 5 | Bolt M10 x 50 DIN 931 8.8 FZV |
| 11113 | 3 | Bolt M8x20 DIN 603 A4 80 |
| 11114 | 8 | Locking head bolt M10x25 |
| 12047 | 5 | Washer 8,4 DIN 125A -140HV FZV |
| 12060 | 36 | Washer 10,5 DIN 125A -140HV FZV |
| 12147 | 8 | Washer 8,4 x 24 x 2 DIN 9021 FZV |
| 12173 | 3 | Washer ø24/8,4x2 |
| 13043 | 8 | Lock nut M10 |
| 13209 | 8 | Lock nut M8 |
| 13210 | 14 | Lock nut M10 |
| 59998 | 2 | Bearing ø20/23x30x11.5 |
| 78134 | 1 | Sealing strip 6 |
| 78138 | 1 | Angle plate |
| 78143 | 1 | Rubber sealing, flip door |
| 78171 | 1 | Flip wall right |
| 78173 | 1 | Flip shell right |
| 78174 | 1 | Seal profile, flip |
| 78176 | 1 | Bottom sheet, flip |
| 78549 | 1 | Scraper |




| Part number | Qty | Description |
|-------------|-----|---------------------------------|
| 10299 | 2 | Bolt M10 x 30 DIN 933 8.8 FZV |
| 10303 | 5 | Bolt M10 x 40 DIN 933 8.8 FZV |
| 10307 | 5 | Bolt M10 x 50 DIN 931 8.8 FZV |
| 11114 | 8 | Locking head bolt M10x25 |
| 12060 | 32 | Washer 10,5 DIN 125A -140HV FZV |
| 13043 | 8 | Lock nut M10 |
| 13210 | 12 | Lock nut M10 |
| 59998 | 2 | Bearing ø20/23x30x11.5 |
| 78170 | 1 | Flip wall left |
| 78172 | 1 | Flip shell left |
| 78176 | 1 | Bottom sheet, flip |
| 78549 | 1 | Scraper |






78412


| Part number | Qty | Description |
|-------------|-----|---|
| 10246 | 22 | Bolt M8 x 25 DIN 933 8.8 FZV |
| 10299 | 8 | Bolt M10 x 30 DIN 933 8.8 FZV |
| 10402 | 12 | Bolt M14x50 |
| 10493 | 2 | Bolt M16 x 50 DIN 933 8.8 FZV |
| 12047 | 26 | Washer 8,4 DIN 125A -140HV FZV |
| 12060 | 24 | Washer 10,5 DIN 125A -140HV FZV |
| 12072 | 16 | Washer 15 DIN 125A -140HV FZV |
| 12078 | 16 | Washer 17 DIN 125A -140HV FZV |
| 12088 | 8 | Washer 21 DIN 125A -140HV FZV |
| 12161 | 8 | Washer 17 x 50 x 3 DIN 9021 FZV |
| 13209 | 8 | Lock nut M8 |
| 13212 | 4 | Lock nut M14 |
| 13213 | 7 | Lock nut M16 |
| 14101 | 2 | Splint ø8x40 |
| 15301 | 8 | Bolt M14x20 |
| 59016 | 4 | Spring |
| 59025 | 6 | Bearing UCFL208 |
| 77007 | 1 | Tightening roller 1 |
| 77121 | 4 | Nut plate, tightener front |
| 77166 | 2 | Spring fastener, belt tightener |
| 77368 | 1 | Tightening roller, small dia. |
| 77401 | 2 | Tightening rod, springs, belt tightener |
| 77402 | 2 | Chain link, spring fastener |
| 77555 | 1 | Scraper suspension, front |
| 77556 | 1 | Belt tightener, front |
| 77557 | 2 | Scraper link |
| 77558 | 1 | Scraper, front |
| 77559 | 1 | Scraper plastic, X-machine, front |




| Part number | Qty | Description |
|-------------|-----|---|
| 10485 | 1 | Bolt M16 x 30 DIN 933 8.8 FZV |
| 12088 | 8 | Washer 21 DIN 125A -140HV FZV |
| 12161 | 8 | Washer 17 x 50 x 3 DIN 9021 FZV |
| 12182 | 1 | Washer ø85/17x3 |
| 13213 | 7 | Lock nut M16 |
| 13215 | 1 | Lock nut M20 |
| 15207 | 1 | Bolt M20 x 80 DIN 933 8.8 FZV |
| 15301 | 8 | Bolt M14x20 |
| 15505 | 6 | Circlip A30x1,5 |
| 15522 | 1 | Circlip A20x1,75 |
| 15801 | 6 | Washer ø50/30x2 |
| 15803 | 1 | Washer ø20/32x1 |
| 19412 | 5 | Chain sprocket |
| 19413 | 2 | Sprocket |
| 19414 | 1 | Sprocket |
| 50512 | 2 | Circlip A40x1,75 |
| 55459 | 1 | Bearing 6304 2RS |
| 57577 | 12 | Plain bearing Ø40/44x55x25 |
| 57578 | 4 | Plain bearing Ø50/55x65x30 |
| 58071 | 1 | Shims |
| 58414 | 1 | Chain lock 1" |
| 59083 | 1 | Flexible coupling, inner sprocket, double |
| 59259 | 1 | Key 18x11x60 |
| 59824 | 1 | Chain, chamber 1" |
| 59829 | 1 | Chain 3/4" |
| 59830 | 1 | Chain lock 3/4" |
| 63791 | 1 | Key A10 x 8 x 30 |
| 74756 | 8 | Shim ø60/40x1 |
| 74758 | 2 | Washer ø70/50x1 |
| 75013 | 1 | Protection tube chain tightener |
| 77061 | 1 | Chain tightener |
| 10489 | 1 | Bolt M16 x 40 DIN 933 8.8 FZV |
| 77174 | 1 | Chain tightener, front |
| 77617 | 1 | Sprocket |
| 77625 | 1 | Sprocket, double drive, tightening |




| Part number | Qty | Description |
|-------------|-----|---------------------------------|
| 10246 | 22 | Bolt M8 x 25 DIN 933 8.8 FZV |
| 10310 | 8 | Bolt M10 x 60 DIN 931 8.8 FZV |
| 10402 | 12 | Bolt M14x50 |
| 10497 | 4 | Bolt M16 x 65 DIN 931 8.8 FZV |
| 12047 | 26 | Washer 8,4 DIN 125A -140HV FZV |
| 12060 | 24 | Washer 10,5 DIN 125A -140HV FZV |
| 12072 | 16 | Washer 15 DIN 125A -140HV FZV |
| 12078 | 16 | Washer 17 DIN 125A -140HV FZV |
| 12161 | 8 | Washer 17 x 50 x 3 DIN 9021 FZV |
| 13013 | 6 | Nut M16 DIN 934 Cl.8 FZV |
| 13213 | 7 | Lock nut M16 |
| 14001 | 2 | Grease nipple 1/8" R |
| 14101 | 2 | Splint ø8x40 |
| 15301 | 8 | Bolt M14x20 |
| 15903 | 34 | Bolt M10x45 |
| 55016 | 2 | Bearing UCFCX08 |
| 57508 | 15 | Bearing housing ø44 innv. |
| 57512 | 2 | Bearing housing ø55 innv. |
| 57577 | 12 | Plain bearing Ø40/44x55x25 |
| 57578 | 4 | Plain bearing Ø50/55x65x30 |
| 59024 | 1 | Bearing UCFC212 |
| 59025 | 6 | Bearing UCFL208 |
| 59259 | 1 | Key 18x11x60 |
| 77122 | 2 | Tightening mechanism |
| 77238 | 1 | Locking hinge ring |
| 77387 | 1 | Hinge plate left |
| 77618 | 1 | Tightening roller 1 with drive |
| 79453 | 1 | Plate, top, chamber |



| Part number | Qty | Description |
|-------------|-----|---------------------------------|
| 10246 | 22 | Bolt M8 x 25 DIN 933 8.8 FZV |
| 10310 | 8 | Bolt M10 x 60 DIN 931 8.8 FZV |
| 12047 | 26 | Washer 8,4 DIN 125A -140HV FZV |
| 12161 | 8 | Washer 17 x 50 x 3 DIN 9021 FZV |
| 12247 | 2 | Spring washer 8,1 DIN 127 B FZV |
| 14001 | 2 | Grease nipple 1/8" R |
| 15301 | 8 | Bolt M14x20 |
| 15501 | 2 | Circlip A25x1,2 |
| 15903 | 34 | Bolt M10x45 |
| 55016 | 2 | Bearing UCFCX08 |
| 57508 | 15 | Bearing housing ø44 innv. |
| 57576 | 9 | Plain bearing Ø40/44x55x40 |
| 59005 | 2 | Inductive transducer |
| 74755 | 9 | Bearing housing cover |
| 77213 | 1 | Hinge plate right |
| 77368 | 1 | Tightening roller, small dia. |
| 78906 | 1 | Segment for chamber sensor |
| 78907 | 1 | Bow, chamber sensor |
| 79041 | 1 | Sensor bracket chamber open |




| Part number | Qty | Description |
|-------------|-----|---|
| 10299 | 8 | Bolt M10 x 30 DIN 933 8.8 FZV |
| 12060 | 24 | Washer 10,5 DIN 125A -140HV FZV |
| 13210 | 8 | Lock nut M10 |
| 77000 | 1 | Roller 16 and 17 |
| 77001 | 2 | Roller 1, 7, 8 and 15 |
| 77002 | 6 | Roller 1-4, 6, 9-14 |
| 77123 | 17 | Winding protection |
| 77238 | 1 | Locking hinge ring |
| 77354 | 1 | Stiffening tube |
| 78411 | 1 | Weldment parts, front chamber, industrial |
| 78048 | 2 | Wear plate, chamber front |
| 82132 | 1 | Protection cover |






78859
Rear chamber with standard rollers





78969
Rear chamber with eccentric rollers


| Part number | Qty | Description |
|-------------|-----|-----------------------|
| 77001 | 1 | Roller 1, 7, 8 and 15 |
| 77002 | 1 | Roller 1-4, 6, 9-14 |
| 77123 | 4 | Winding protection |
| 15801 | 1 | Washer ø50/30x2 |
| 74756 | 1 | Shim ø60/40x1 |
| 15505 | 1 | Circlip A30x1,5 |
| 50512 | 1 | Circlip A40x1,75 |
| 19421 | 1 | Sprocket |
| 19412 | 1 | Chain sprocket |





| Part number | Qty | Description |
|-------------|-----|-----------------------------------|
| 15505 | 1 | Circlip A30x1,5 |
| 15801 | 1 | Washer ø50/30x2 |
| 50512 | 1 | Circlip A40x1,75 |
| 59607 | 1 | Chain, eccentric, 3/4" x 49 links |
| 59609 | 1 | Chain half link 3/4" |
| 59830 | 1 | Chain lock 3/4" |
| 74756 | 1 | Shim ø60/40x1 |
| 77715 | 1 | Sprocket, eccentric roller 1 |
| 77716 | 1 | Sprocket, eccentric roller 2 |
| 77750 | 4 | Nut plate, eccentric roller |
| 80408 | 1 | Chain tightener SE27, modified |
| 80178 | 1 | Chain tensioner mount |
| 80112 | 1 | Sprocket |
| 13213 | 1 | Lock nut M16 |
| 10497 | 1 | Bolt M16 x 65 DIN 931 8.8 FZV |
| 12060 | 2 | Washer 10,5 DIN 125A -140HV FZV |
| 10303 | 1 | Bolt M10 x 40 DIN 933 8.8 FZV |
| 13210 | 1 | Lock nut M10 |
| 12067 | 1 | Washer 13 DIN 125A -140HV FZV |
| 10352 | 1 | Bolt M12 x 40 DIN 933 8.8 FZV |
| 77675 | 1 | Roller 2, eccentric |
| 77674 | 1 | Roller 1, eccentric |




| Part number | Qty | Description |
|-------------|-----|---|
| 10299 | 24 | Bolt M10 x 30 DIN 933 8.8 FZV |
| 10307 | 2 | Bolt M10 x 50 DIN 931 8.8 FZV |
| 10402 | 4 | Bolt M14x50 |
| 10493 | 2 | Bolt M16 x 50 DIN 933 8.8 FZV |
| 12060 | 51 | Washer 10,5 DIN 125A -140HV FZV |
| 12072 | 4 | Washer 15 DIN 125A -140HV FZV |
| 12078 | 48 | Washer 17 DIN 125A -140HV FZV |
| 12186 | 2 | Washer ø28/10,5x4 |
| 12278 | 8 | Spring washer 16,2 DIN 127 B FZV |
| 13013 | 22 | Nut M16 DIN 934 Cl.8 FZV |
| 13210 | 6 | Lock nut M10 |
| 13213 | 15 | Lock nut M16 |
| 14101 | 2 | Splint ø8x40 |
| 15202 | 4 | Bolt M16x130, threaded to head |
| 15215 | 4 | Bolt M16 x 180 DIN 933 8.8 FZV |
| 15301 | 5 | Bolt M14x20 |
| 50101 | 4 | Bearing UCP208 |
| 59016 | 4 | Spring |
| 59025 | 2 | Bearing UCFL208 |
| 77007 | 2 | Tightening roller 1 |
| 77121 | 2 | Nut plate, tightener front |
| 77133 | 1 | Scraper plow, rear |
| 77166 | 2 | Spring fastener, belt tightener |
| 77208 | 4 | Feeding plate, tightening bearing |
| 77352 | 2 | Scraper fastener, rear |
| 77364 | 1 | Wearing plastic, scraper, rear |
| 77401 | 2 | Tightening rod, springs, belt tightener |
| 77402 | 2 | Chain link, spring fastener |
| 77630 | 5 | Washer ø50/15x3 |




| Part number | Qty | Description |
|-------------|-----|----------------------------------|
| 10207 | 4 | Bolt M6x25, threaded to head |
| 10254 | 2 | Bolt M8 x 45 DIN 933 8.8 FZV |
| 10256 | 4 | Bolt M8x50 |
| 10299 | 24 | Bolt M10 x 30 DIN 933 8.8 FZV |
| 10350 | 6 | Bolt M12x35 |
| 10352 | 16 | Bolt M12 x 40 DIN 933 8.8 FZV |
| 10574 | 8 | Bolt M20x50 |
| 11107 | 4 | Lock head bolt M8x30 |
| 12036 | 8 | Washer 6,4 DIN 125A -140HV FZV |
| 12047 | 8 | Washer 8,4 DIN 125A -140HV FZV |
| 12060 | 51 | Washer 10,5 DIN 125A -140HV FZV |
| 12067 | 60 | Washer 13 DIN 125A -140HV FZV |
| 12088 | 15 | Washer 21 DIN 125A -140HV FZV |
| 13043 | 20 | Lock nut M10 |
| 13209 | 4 | Lock nut M8 |
| 15903 | 30 | Bolt M10x45 |
| 57508 | 13 | Bearing housing Ø44 innv. |
| 57576 | 7 | Plain bearing Ø40/44x55x40 |
| 57577 | 12 | Plain bearing Ø40/44x55x25 |
| 58104 | 2 | Rubber buffer, complete |
| 59586 | 2 | Pipe clamp double 22 mm |
| 59587 | 2 | Top plate for double clamp 20-25 |
| 74755 | 7 | Bearing housing cover |
| 74999 | 18 | Shims 70x45x2 |
| 75491 | 14 | Shims 70x45x1 |
| 77648 | 2 | Shims, chamber opening, 6mm |
| 78667 | 1 | Film storage mount, right rear |
| 78798 | 2 | Plastic storage, bracket |
| 78799 | 1 | Bracket, side cover, right |
| 78812 | 1 | Counting wheel cover |
| 78813 | 1 | Sensor mount |
| 78821 | 1 | Counting wheel, chamber |
| 78904 | 2 | Gas spring bracket RB LF LB |
| 79365 | 1 | Endpiece for shaft |
| 79378 | 2 | Spacer for end plug |
| 13222 | 11 | Nut M16 DIN 985 Class 10 |




| Part number | Qty | Description |
|-------------|-----|---------------------------------|
| 10299 | 24 | Bolt M10 x 30 DIN 933 8.8 FZV |
| 10574 | 8 | Bolt M20x50 |
| 11107 | 4 | Lock head bolt M8x30 |
| 12047 | 8 | Washer 8,4 DIN 125A -140HV FZV |
| 12060 | 51 | Washer 10,5 DIN 125A -140HV FZV |
| 12067 | 60 | Washer 13 DIN 125A -140HV FZV |
| 12088 | 15 | Washer 21 DIN 125A -140HV FZV |
| 13013 | 22 | Nut M16 DIN 934 Cl.8 FZV |
| 13043 | 20 | Lock nut M10 |
| 13209 | 4 | Lock nut M8 |
| 13211 | 30 | Lock nut M12 |
| 13213 | 15 | Lock nut M16 |
| 13215 | 1 | Lock nut M20 |
| 15207 | 1 | Bolt M20 x 80 DIN 933 8.8 FZV |
| 15323 | 8 | Bolt M12x35 |
| 15501 | 2 | Circlip A25x1,2 |
| 15505 | 4 | Circlip A30x1,5 |
| 15522 | 1 | Circlip A20x1,75 |
| 15801 | 4 | Washer ø50/30x2 |
| 15803 | 2 | Washer ø20/32x1 |
| 15903 | 30 | Bolt M10x45 |
| 19412 | 4 | Chain sprocket |
| 19413 | 1 | Sprocket |
| 19414 | 1 | Sprocket |
| 50512 | 1 | Circlip A40x1,75 |
| 55459 | 1 | Bearing 6304 2RS |
| 57508 | 13 | Bearing housing ø44 innv. |
| 57512 | 2 | Bearing housing ø55 innv. |
| 57558 | 1 | Spring, chain tightener |
| 57577 | 12 | Plain bearing Ø40/44x55x25 |
| 57578 | 4 | Plain bearing Ø50/55x65x30 |
| 58104 | 2 | Rubber buffer, complete |
| 13009 | 1 | Nut M8 |
| 58414 | 2 | Chain lock 1" |
| 59824 | 1 | Chain, chamber 1" |
| 74756 | 6 | Shim ø60/40x1 |
| 74758 | 2 | Washer ø70/50x1 |
| 75013 | 1 | Protection tube chain tightener |
| 77061 | 1 | Chain tightener |
| 77173 | 1 | Chain tightener, rear |
| 78668 | 1 | Film storage mount, left rear |
| 78798 | 2 | Plastic storage, bracket |
| 78904 | 2 | Gas spring bracket RB LF LB |




| Part number | Qty | Description |
|-------------|-----|---|
| 10299 | 24 | Bolt M10 x 30 DIN 933 8.8 FZV |
| 10350 | 6 | Bolt M12x35 |
| 10485 | 1 | Bolt M16 x 30 DIN 933 8.8 FZV |
| 10498 | 4 | Bolt M16x70 |
| 11504 | 2 | Countersunk bolt M6x20 |
| 12078 | 48 | Washer 17 DIN 125A -140HV FZV |
| 12159 | 2 | Washer 6,4 x 18 x 1,6 DIN 9021 FZV |
| 12182 | 1 | Washer ø85/17x3 |
| 12260 | 8 | Spring washer 10,2 DIN 127 B FZV |
| 13043 | 20 | Lock nut M10 |
| 13208 | 6 | Lock nut M6 |
| 13222 | 11 | Nut M16 DIN 985 Class 10 |
| 15332 | 2 | Bolt M16 x 70 ISO 4762 12.9 flZn |
| 15333 | 1 | Bolt M16 x 80 ISO 4762 12.9 flZn |
| 15334 | 8 | Countersunk bolt M16x80 |
| 15338 | 1 | Bolt M16 x 55 ISO 4762 12.9 flZn |
| 15339 | 1 | Bolt M16 x 45 ISO 4762 12.9 flZn |
| 15903 | 30 | Bolt M10x45 |
| 57426 | 1 | Chain duplex, lock |
| 57508 | 13 | Bearing housing ø44 innv. |
| 57512 | 2 | Bearing housing ø55 innv. |
| 57577 | 12 | Plain bearing Ø40/44x55x25 |
| 57578 | 4 | Plain bearing Ø50/55x65x30 |
| 58414 | 2 | Chain lock 1" |
| 59024 | 1 | Bearing UCFC212 |
| 59825 | 1 | Chain, between chambers 1" |
| 59826 | 1 | Chain duplex 1" |
| 67468 | 1 | Wearing plastic, chain tightener, short chain |
| 74756 | 6 | Shim ø60/40x1 |
| 74758 | 2 | Washer ø70/50x1 |
| 77397 | 1 | Bracket, chain lubrication |
| 77560 | 1 | Flexible coupling, inner |
| 77634 | 1 | Chain tightener, short chain |
| 77635 | 1 | Chain tightener, glider |
| 78021 | 1 | Flexible coupling, outer part |
| 78800 | 1 | Bracket, side cover, left |
| 78860 | 1 | Rear chamber, weldment parts |
| 78911 | 1 | Adaptor for chamber motor |
| 80651 | 1 | Chamber motor, High flow |
| 80823 | 1 | Fitting 1/4"-1/4" |
| 80837 | 1 | Fitting 1/4"-1/4" |
| 80863 | 2 | SAE-flange 3/4" 6000 psi |
| 81060 | 1 | Spring |




| Part number | Qty | Description |
|-------------|-----|--------------------------------|
| 193269 | 1 | Wear plate, chamber rear left |
| 193270 | 1 | Wear plate, chamber rear right |
| 59259 | 1 | Key 18x11x60 |
| 77000 | 1 | Roller 16 and 17 |
| 77001 | 1 | Roller 1, 7, 8 and 15 |
| 77002 | 3 | Roller 1-4, 6, 9-14 |
| 77009 | 1 | Stiffener |
| 77123 | 11 | Winding protection |
| 77151 | 1 | Roller 5 |
| 78721 | 1 | Rear chamber, right frame |
| 78722 | 1 | Rear chamber, left frame |
| 82132 | 1 | Protection cover |






77316


| Part number | Qty | Description |
|-------------|-----|----------------------------------|
| 12047 | 4 | Washer 8,4 DIN 125A -140HV FZV |
| 13209 | 2 | Lock nut M8 |
| 78849 | 1 | Crossbar |
| 78040 | 1 | Side plate, right wrapping table |
| 78039 | 1 | Side plate, left wrapping table |
| 77360 | 1 | Belt guide |
| 10246 | 4 | Bolt M8 x 25 DIN 933 8.8 FZV |
| 12088 | 5 | Washer 21 DIN 125A -140HV FZV |
| 13215 | 5 | Lock nut M20 |
| 12060 | 3 | Washer 10,5 DIN 125A -140HV FZV |
| 13210 | 2 | Lock nut M10 |
| 10350 | 2 | Bolt M12x35 |
| 12067 | 2 | Washer 13 DIN 125A -140HV FZV |
| 55016 | 2 | Bearing UCFCX08 |
| 77244 | 1 | Spacer, ultrasound sensor |
| 10348 | 1 | Bolt M12 x 30 DIN 933 8.8 FZV |
| 10307 | 8 | Bolt M10 x 50 DIN 931 8.8 FZV |
| 77630 | 4 | Washer ø50/15x3 |
| 15301 | 4 | Bolt M14x20 |
| 10582 | 1 | Bolt M20 x 90 DIN 931 8.8 FZV |
| 10580 | 1 | Bolt M20 x 75 DIN 931 8.8 FZV |
| 59025 | 2 | Bearing UCFL208 |
| 15326 | 4 | Bolt M14x45 |
| 15806 | 3 | Washer ø35/45x2 |
| 13212 | 4 | Lock nut M14 |




| Part number | Qty | Description |
|-------------|-----|-----------------------|
| 59796 | 1 | Belt, wrapper, 2 pcs. |
| 77005 | 1 | Roller 1 |
| 77006 | 1 | Roller 2 |
| 52512 | 1 | Key 10x8x80 |





| Part number | Qty | Description |
|-------------|-----|-------------------------------|
| 77409 | 1 | Bale tray, roller tube |
| 77413 | 2 | Bale tray, roller bushing |
| 77414 | 1 | Bale tray, roller, shaft |
| 12067 | 21 | Washer 13 DIN 125A -140HV FZV |
| 14121 | 2 | Splint ø8x30 |
| 13011 | 8 | Nut M12 |
| 12078 | 18 | Washer 17 DIN 125A -140HV FZV |
| 13213 | 8 | Lock nut M16 |
| 78419 | 1 | Bale tray, frame |
| 78851 | 2 | Spacer |
| 78852 | 2 | Lock washer |
| 78850 | 2 | Shim |
| 11138 | 2 | Bolt M16x50 DIN 603 A4 80 |
| 79315 | 2 | Stopper |
| 10354 | 4 | Bolt M12 x 45 DIN 931 8.8 FZV |
| 82652 | 2 | Rubber damper, wrapping table |




| Part number | Qty | Description |
|-------------|-----|---|
| 10248 | 2 | Bolt M8 x 30 DIN 933 8.8 FZV |
| 12178 | 4 | Washer 13 x 37 x 3 DIN 9021 FZV |
| 82216 | 1 | Fastening beam, right film cutter |
| 77728 | 1 | Sensor cover, wrapping table |
| 13215 | 5 | Lock nut M20 |
| 77136 | 1 | Bracket, gear |
| 82399 | 1 | Sensor mount, Heavy Duty |
| 59038 | 1 | Gear RT 90 |
| 59053 | 1 | Motor OR200C |
| 10350 | 2 | Bolt M12x35 |
| 12067 | 2 | Washer 13 DIN 125A -140HV FZV |
| 35011 | 2 | Fitting 1/2" utv. x 3/8" utv. |
| 53306 | 2 | Gasket 1/2" |
| 77244 | 1 | Spacer, ultrasound sensor |
| 15202 | 2 | Bolt M16x130, threaded to head |
| 13013 | 4 | Nut M16 DIN 934 Cl.8 FZV |
| 10303 | 2 | Bolt M10 x 40 DIN 933 8.8 FZV |
| 77630 | 4 | Washer ø50/15x3 |
| 15301 | 4 | Bolt M14x20 |
| 12047 | 20 | Washer 8,4 DIN 125A -140HV FZV |
| 12078 | 18 | Washer 17 DIN 125A -140HV FZV |
| 10493 | 6 | Bolt M16 x 50 DIN 933 8.8 FZV |
| 13213 | 8 | Lock nut M16 |
| 10356 | 4 | Bolt M12 x 50 DIN 931 8.8 FZV |
| 13211 | 8 | Lock nut M12 |
| 10352 | 4 | Bolt M12 x 40 DIN 933 8.8 FZV |
| 10582 | 1 | Bolt M20 x 90 DIN 931 8.8 FZV |
| 59752 | 1 | Angled connection M7 ROHR6x1 |
| 79705 | 1 | Hose 110mm Ø6x1,5 |
| 59753 | 1 | Straight connection QR1-S-RAI-G018-DA06 |
| 14001 | 1 | Grease nipple 1/8" R |
| 12060 | 18 | Washer 10,5 DIN 125A -140HV FZV |
| 10299 | 2 | Bolt M10 x 30 DIN 933 8.8 FZV |
| 52512 | 1 | Key 10x8x80 |



| Part number | Qty | Description |
|-------------|-----|-------------------------------------|
| 10240 | 2 | Bolt M8x16 |
| 10246 | 4 | Bolt M8x25 |
| 10295 | 1 | Bolt M10x20 |
| 10585 | 1 | Bolt M20x120 |
| 12047 | 2 | Washer M8 |
| 12060 | 3 | Washer M10 |
| 12088 | 5 | Washer M20 |
| 13210 | 2 | Lock nut M10 |
| 13215 | 5 | Lock nut M20 |
| 14002 | 4 | Grease nipple M8x1 |
| 58577 | 4 | Spring |
| 58870 | 1 | Cylinder 32x16x100 |
| 63247 | 1 | Frame, film cutter |
| 63252 | 1 | Tube for cylinder, short |
| 63254 | 2 | Pipe for press arm |
| 63255 | 1 | Shims for pipe, press arm |
| 63256 | 1 | Knife |
| 63257 | 1 | Plate for knife |
| 63258 | 1 | Fastening bolt for cylinder |
| 63259 | 2 | Bolt M20x130 w/grease nipple |
| 63260 | 2 | Bolt M20x100 w/grease nipple |
| 67201 | 1 | Stopper, film cutter |
| 67202 | 1 | Press arm, film cutter |
| 67203 | 1 | Tie rod, film cutter |
| 67205 | 1 | Gasket for cylinder, film stretcher |
| 67206 | 1 | Tube for cylinder, long |
| 67208 | 1 | Stopper bracket |




| Part number | Qty | Description |
|-------------|-----|---------------------------------|
| 77183 | 1 | Tray 1, towards frame |
| 77184 | 1 | Tray 2, towards frame |
| 77501 | 1 | Hinge plate right |
| 77500 | 1 | Hinge plate left |
| 50324 | 2 | Key 12x8x60 |
| 74732 | 2 | Locking plate |
| 10244 | 14 | Bolt M8 x 20 DIN 933 8.8 FZV |
| 10307 | 8 | Bolt M10 x 50 DIN 931 8.8 FZV |
| 77630 | 4 | Washer ø50/15x3 |
| 15301 | 4 | Bolt M14x20 |
| 12047 | 20 | Washer 8,4 DIN 125A -140HV FZV |
| 12247 | 12 | Spring washer 8,1 DIN 127 B FZV |
| 14001 | 2 | Grease nipple 1/8" R |
| 82143 | 2 | Spacer, frame |
| 77014 | 1 | Driveshaft, belt under |
| 52507 | 2 | Key 12x8x50 DIN 6885 A |
| 59081 | 2 | Sprocket |
| 11303 | 2 | Set screw M12x12 |
| 55016 | 2 | Bearing UCFCX08 |
| 12060 | 2 | Washer 10,5 DIN 125A -140HV FZV |



Chapter


3b

Wrapping table with weighing system




78038


| Part number | Qty | Description |
|-------------|-----|----------------------------------|
| 78849 | 1 | Crossbar |
| 78040 | 1 | Side plate, right wrapping table |
| 78039 | 1 | Side plate, left wrapping table |
| 77360 | 1 | Belt guide |
| 77027 | 1 | Belt guide, wrapper |
| 12047 | 2 | Washer 8,4 DIN 125A -140HV FZV |
| 12067 | 2 | Washer 13 DIN 125A -140HV FZV |
| 77244 | 1 | Spacer, ultrasound sensor |
| 13209 | 6 | Lock nut M8 |
| 10348 | 1 | Bolt M12 x 30 DIN 933 8.8 FZV |
| 10350 | 4 | Bolt M12x35 |
| 13011 | 8 | Nut M12 |
| 10246 | 4 | Bolt M8 x 25 DIN 933 8.8 FZV |
| 10582 | 1 | Bolt M20 x 90 DIN 931 8.8 FZV |
| 13215 | 2 | Lock nut M20 |




| Part number | Qty | Description |
|-------------|-----|---------------------------|
| 59796 | 1 | Belt, wrapper, 2 pcs. |
| 78451 | 1 | Roller 1, weighing system |
| 78452 | 1 | Roller 2, weighing system |
| 52512 | 1 | Key 10x8x80 |




| Part number | Qty | Description |
|-------------|-----|-------------------------------|
| 77409 | 1 | Bale tray, roller tube |
| 77413 | 2 | Bale tray, roller bushing |
| 77414 | 1 | Bale tray, roller, shaft |
| 12067 | 21 | Washer 13 DIN 125A -140HV FZV |
| 14121 | 2 | Splint ø8x30 |
| 13011 | 8 | Nut M12 |
| 12078 | 18 | Washer 17 DIN 125A -140HV FZV |
| 13213 | 8 | Lock nut M16 |
| 78419 | 1 | Bale tray, frame |
| 78851 | 2 | Spacer |
| 78852 | 2 | Lock washer |
| 78850 | 2 | Shim |
| 11138 | 2 | Bolt M16x50 DIN 603 A4 80 |
| 79315 | 2 | Stopper |
| 10354 | 4 | Bolt M12 x 45 DIN 931 8.8 FZV |
| 82652 | 2 | Rubber damper, wrapping table |



| Part number | Qty | Description |
|-------------|-----|----------------------------------|
| 78451 | 1 | Roller 1, weighing system |
| 78452 | 1 | Roller 2, weighing system |
| 78934 | 1 | Ring 2, load cell |
| 78933 | 2 | Ring 1, load cell |
| 78074 | 2 | Load cell |
| 12060 | 8 | Washer 10,5 DIN 125A -140HV FZV |
| 10315 | 4 | Bolt M10x90 |
| 13210 | 4 | Lock nut M10 |
| 78061 | 1 | HUP, load cell, weldment parts |
| 78060 | 1 | Tightening bolt, weighing system |
| 78949 | 1 | Fastening plate, belt tightener |
| 78458 | 4 | Bearing UCPA 208 |
| 12161 | 2 | Washer 17 x 50 x 3 DIN 9021 FZV |
| 15301 | 1 | Bolt M14x20 |
| 15318 | 1 | Bolt M14x40 |
| 12072 | 8 | Washer 15 DIN 125A -140HV FZV |
| 78416 | 8 | Bolt M14x90 |
| 12067 | 16 | Washer 13 DIN 125A -140HV FZV |
| 10364 | 4 | Bolt M12 x 90 DIN 931 8.8 FZV |
| 13211 | 12 | Lock nut M12 |
| 10369 | 8 | Bolt M12x140 |
| 79769 | 2 | Cable mounting rail |




| Part number | Qty | Description |
|-------------|-----|---|
| 12178 | 4 | Washer 13 x 37 x 3 DIN 9021 FZV |
| 82216 | 1 | Fastening beam, right film cutter |
| 77728 | 1 | Sensor cover, wrapping table |
| 13215 | 5 | Lock nut M20 |
| 77136 | 1 | Bracket, gear |
| 82399 | 1 | Sensor mount, Heavy Duty |
| 59038 | 1 | Gear RT 90 |
| 59053 | 1 | Motor OR200C |
| 10350 | 2 | Bolt M12x35 |
| 12067 | 2 | Washer 13 DIN 125A -140HV FZV |
| 35011 | 2 | Fitting 1/2" utv. x 3/8" utv. |
| 53306 | 2 | Gasket 1/2" |
| 77244 | 1 | Spacer, ultrasound sensor |
| 15202 | 2 | Bolt M16x130, threaded to head |
| 13013 | 4 | Nut M16 DIN 934 Cl.8 FZV |
| 10303 | 2 | Bolt M10 x 40 DIN 933 8.8 FZV |
| 77630 | 4 | Washer ø50/15x3 |
| 15301 | 4 | Bolt M14x20 |
| 12047 | 20 | Washer 8,4 DIN 125A -140HV FZV |
| 12078 | 18 | Washer 17 DIN 125A -140HV FZV |
| 10493 | 6 | Bolt M16 x 50 DIN 933 8.8 FZV |
| 13213 | 8 | Lock nut M16 |
| 10356 | 4 | Bolt M12 x 50 DIN 931 8.8 FZV |
| 13211 | 8 | Lock nut M12 |
| 10352 | 4 | Bolt M12 x 40 DIN 933 8.8 FZV |
| 10582 | 1 | Bolt M20 x 90 DIN 931 8.8 FZV |
| 59752 | 1 | Angled connection M7 ROHR6x1 |
| 79705 | 1 | Hose 110mm Ø6x1,5 |
| 59753 | 1 | Straight connection QR1-S-RAI-G018-DA06 |
| 14001 | 1 | Grease nipple 1/8" R |
| 12060 | 18 | Washer 10,5 DIN 125A -140HV FZV |
| 10299 | 2 | Bolt M10 x 30 DIN 933 8.8 FZV |





PAGE 8




| Part number | Qty | Description |
|-------------|-----|----------------------------------|
| 82422 | 1 | Fastening beam, left film cutter |
| 77712 | 1 | Bracket, gear RT 160, reinforced |
| 12088 | 5 | Washer 21 DIN 125A -140HV FZV |
| 59039 | 1 | Gear RT 160 |
| 59054 | 1 | Motor OP100C |
| 15202 | 2 | Bolt M16x130, threaded to head |
| 13013 | 4 | Nut M16 DIN 934 Cl.8 FZV |
| 12067 | 21 | Washer 13 DIN 125A -140HV FZV |
| 77630 | 4 | Washer ø50/15x3 |
| 15301 | 4 | Bolt M14x20 |
| 10346 | 2 | Bolt M12 x 25 DIN 933 8.8 FZV |
| 11518 | 4 | Countersunk bolt M12x30 |
| 12078 | 18 | Washer 17 DIN 125A -140HV FZV |
| 10493 | 6 | Bolt M16 x 50 DIN 933 8.8 FZV |
| 13213 | 8 | Lock nut M16 |
| 12178 | 4 | Washer 13 x 37 x 3 DIN 9021 FZV |
| 10356 | 4 | Bolt M12 x 50 DIN 931 8.8 FZV |
| 13211 | 8 | Lock nut M12 |
| 10352 | 4 | Bolt M12 x 40 DIN 933 8.8 FZV |
| 10580 | 1 | Bolt M20 x 75 DIN 931 8.8 FZV |
| 13215 | 2 | Lock nut M20 |
| 74756 | 7 | Shim ø60/40x1 |




| Part number | Qty | Description |
|-------------|-----|-------------------------------------|
| 10240 | 2 | Bolt M8x16 |
| 10246 | 4 | Bolt M8x25 |
| 10295 | 1 | Bolt M10x20 |
| 10585 | 1 | Bolt M20x120 |
| 12047 | 2 | Washer M8 |
| 12060 | 3 | Washer M10 |
| 12088 | 5 | Washer M20 |
| 13210 | 2 | Lock nut M10 |
| 13215 | 5 | Lock nut M20 |
| 14002 | 4 | Grease nipple M8x1 |
| 58577 | 4 | Spring |
| 58870 | 1 | Cylinder 32x16x100 |
| 63247 | 1 | Frame, film cutter |
| 63252 | 1 | Tube for cylinder, short |
| 63254 | 2 | Pipe for press arm |
| 63255 | 1 | Shims for pipe, press arm |
| 63256 | 1 | Knife |
| 63257 | 1 | Plate for knife |
| 63258 | 1 | Fastening bolt for cylinder |
| 63259 | 2 | Bolt M20x130 w/grease nipple |
| 63260 | 2 | Bolt M20x100 w/grease nipple |
| 67201 | 1 | Stopper, film cutter |
| 67202 | 1 | Press arm, film cutter |
| 67203 | 1 | Tie rod, film cutter |
| 67205 | 1 | Gasket for cylinder, film stretcher |
| 67206 | 1 | Tube for cylinder, long |
| 67208 | 1 | Stopper bracket |




| Part number | Qty | Description |
|-------------|-----|---------------------------------|
| 77183 | 1 | Tray 1, towards frame |
| 77184 | 1 | Tray 2, towards frame |
| 77501 | 1 | Hinge plate right |
| 77500 | 1 | Hinge plate left |
| 50324 | 2 | Key 12x8x60 |
| 74732 | 2 | Locking plate |
| 10244 | 14 | Bolt M8 x 20 DIN 933 8.8 FZV |
| 10307 | 8 | Bolt M10 x 50 DIN 931 8.8 FZV |
| 77630 | 4 | Washer ø50/15x3 |
| 15301 | 4 | Bolt M14x20 |
| 12047 | 20 | Washer 8,4 DIN 125A -140HV FZV |
| 12247 | 12 | Spring washer 8,1 DIN 127 B FZV |
| 14001 | 2 | Grease nipple 1/8" R |
| 82143 | 2 | Spacer, frame |
| 77014 | 1 | Driveshaft, belt under |
| 52507 | 2 | Key 12x8x50 DIN 6885 A |
| 59081 | 2 | Sprocket |
| 11303 | 2 | Set screw M12x12 |
| 55016 | 2 | Bearing UCFCX08 |
| 12060 | 2 | Washer 10,5 DIN 125A -140HV FZV |




| Part number | Qty | Description |
|-------------|-----|---|
| 10205 | 2 | Bolt M6 x 20 DIN 933 |
| 12036 | 4 | Washer 6,4 DIN 125A -140HV FZV |
| 13208 | 2 | Lock nut M6 |
| 59006 | 2 | Sensor cable 4-lead |
| 59985 | 1 | Display unit |
| 78489 | 1 | Sensorcable |
| 78490 | 1 | Kabel, strømtilførsel veieterminal |
| 78491 | 1 | Junction box, ECP, 4 load cells |
| 78959 | 1 | Cover display, w/weighing system |
| 78961 | 1 | Cable cover, case, display, w/weighing system |
| 82140 | 1 | Supportbracket |
| 12047 | 16 | Washer M8 DIN 125A |
| 10244 | 7 | Bolt M8 x 20 DIN 933 8.8 FZV |
| 12147 | 2 | Washer M8 DIN 9021 |
| 10246 | 2 | Screw M8 x 25 DIN 933 |
| 13009 | 7 | Nut M8 DIN 934 |
| 79671 | 1 | Bracket for printer |
| 80202 | 1 | M12-contact Quickon |
| 80504 | 1 | RAM-fastener, complete |
| 81026 | 1 | Scale STADconnect |
| 81123 | 1 | Printer Toshiba |
| 81120 | 1 | DC Adapter |
| 81121 | 1 | Printer cable |
| 13621 | 2 | Pan bolt M3x8 |
| 12017 | 2 | Washer M3 |
| 12228 | 2 | Spring washer M3 |
| 81182 | 1 | Label roll |
| 82543 | 1 | Hoop for power supply |






79738


| Part number | Qty | Description |
|-------------|-----|---|
| 10250 | 6 | Bolt M8x35 |
| 10254 | 4 | Bolt M8 x 45 DIN 933 8.8 FZV |
| 13009 | 2 | Nut M8 |
| 59586 | 4 | Pipe clamp double 22 mm |
| 59587 | 4 | Top plate for double clamp 20-25 |
| 78652 | 1 | Hose retainer right |
| 78653 | 1 | Hose retainer left |
| 59584 | 2 | Weldment plate, 20-25 mm, double Stauff |
| 78827 | 1 | Bracket, frame, lower left |
| 79346 | 1 | Cover for inspection slot |
| 80409 | 27 | Weld plate 14-18 mm double |
| 79796 | 1 | Cover |
| 79823 | 1 | Bulkhead bracket |
| 80410 | 6 | Pipe clamp double 14 mm |
| 80411 | 6 | Topp-Plate 14-18mm dobbel Stauff |
| 82505 | 1 | Lever valve, |
| 82511 | 1 | Hydraulic directional valve (1) |
| 82509 | 1 | Hydraulic directional control valve (3) |
| 59177 | 6 | Adaptor 3/8"-1/4" |
| 59178 | 1 | Adaptor 3/8"-3/8" |
| 35011 | 2 | Fitting 1/2" utv. x 3/8" utv. |
| 82685 | 1 | Pipe plug 1/4-18 NPTF |




| Part number | Qty | Description |
|-------------|-----|------------------------------------|
| 79781 | 1 | Underframe, pump set |
| 78405 | 1 | Cover, alternator belt |
| 78700 | 1 | Adjustment bracket for generator |
| 78588 | 2 | Protection, PTO, pump set |
| 78590 | 1 | Protection, PTO, draw bar |
| 59952 | 1 | Alternator 24V 55A |
| 80026 | 1 | Pump set |
| 59955 | 1 | V-belt pulley SPA 236 |
| 80027 | 1 | Alternator fan |
| 59953 | 1 | V-belt pulley ø73 |
| 59954 | 1 | Belt XPA 1030 |
| 78978 | 1 | Duct, hydraulic hoses, below frame |
| 82353 | 1 | Taperlock 2012 1-3/8" Z6 |




| Part number | Qty | Description |
|-------------|-----|---|
| 78683 | 1 | Rod, left side |
| 78684 | 1 | Rod, right side |
| 78904 | 1 | Gas spring bracket RB LF LB |
| 78903 | 1 | Gas spring bracket RF |
| 58104 | 2 | Rubber buffer, complete |
| 80004 | 2 | Emergency switch |
| 59937 | 1 | Filter head |
| 59939 | 1 | Filter element, low pressure |
| 59733 | 1 | Filter head |
| 59734 | 1 | Suction filter |
| 11107 | 4 | Lock head bolt M8x30 |
| 12047 | 44 | Washer 8,4 DIN 125A -140HV FZV |
| 13209 | 38 | Lock nut M8 |
| 12088 | 12 | Washer 21 DIN 125A -140HV FZV |
| 10577 | 6 | Bolt M20 x 60 DIN 933 8.8 FZV |
| 13215 | 6 | Lock nut M20 |
| 14901 | 2 | Reflector ø60 white |
| 81038 | 1 | Marker light, left LED |
| 81039 | 1 | Marker light, right LED |
| 82307 | 2 | Holder for spilltray |
| 82177 | 1 | Bracket for plastic storage |
| 82178 | 1 | Bracket for plastic storage, left front |
| 80176 | 1 | Valve, complete w/housing |
| 80403 | 1 | Solenoid valve with housing |
| 78718 | 1 | Electric cabinet, rear |
| 78719 | 1 | Hydraulic cabinet |
| 59958 | 1 | Hydraulic manifold HIC 1 |
| 80464 | 1 | Elbow 1" with set screw |
| 78831 | 1 | Battery box, master |
| 81069 | 1 | Housing |
| 59962 | 1 | Collector manifold |
| 59959 | 1 | Hydraulic manifold HIC 2 |




| Part number | Qty | Description |
|-------------|-----|--|
| 10244 | 20 | Bolt M8 x 20 DIN 933 8.8 FZV |
| 10246 | 8 | Bolt M8 x 25 DIN 933 8.8 FZV |
| 10259 | 6 | Bolt M8x60 |
| 10354 | 8 | Bolt M12 x 45 DIN 931 8.8 FZV |
| 10356 | 28 | Bolt M12 x 50 DIN 931 8.8 FZV |
| 10364 | 4 | Bolt M12 x 90 DIN 931 8.8 FZV |
| 10493 | 4 | Bolt M16 x 50 DIN 933 8.8 FZV |
| 10667 | 8 | Bolt M24x200 |
| 12047 | 44 | Washer 8,4 DIN 125A -140HV FZV |
| 12067 | 68 | Washer 13 DIN 125A -140HV FZV |
| 12072 | 8 | Washer 15 DIN 125A -140HV FZV |
| 12078 | 8 | Washer 17 DIN 125A -140HV FZV |
| 12093 | 8 | Washer 25 DIN 125A -140HV FZV |
| 12173 | 12 | Washer $\varnothing 24/8,4 \times 2$ |
| 12178 | 16 | Washer 13 x 37 x 3 DIN 9021 FZV |
| 12247 | 4 | Spring washer 8,1 DIN 127 B FZV |
| 13209 | 38 | Lock nut M8 |
| 13211 | 40 | Lock nut M12 |
| 13212 | 4 | Lock nut M14 |
| 13213 | 4 | Lock nut M16 |
| 13217 | 8 | Lock nut M24 |
| 15030 | 4 | Eye bolt M10x30 |
| 50601 | 4 | Wire-pulley $\varnothing 75 \times 16$ |
| 59015 | 2 | Cover, plastic |
| 77062 | 1 | Transition, elevator/frame |
| 77138 | 2 | Cylinder bracket |
| 77157 | 2 | Cover bracket right |
| 77158 | 2 | Cover bracket left |
| 77347 | 2 | Hydraulic jack |
| 77404 | 4 | Pulley holder |
| 77599 | 8 | Clamp |
| 78428 | 4 | Bolt M14x110 |
| 78839 | 1 | Parking brake |
| 79812 | 2 | Bracket plate, front reflector |
| 81094 | 2 | Pressure continuation plug |
| 82000 | 1 | Padlock Yale 50mm Adjustable |
| 82304 | 1 | Sticker padlock |




| Part number | Qty | Description |
|-------------|-----|---------------------------------------|
| 10244 | 20 | Bolt M8 x 20 DIN 933 8.8 FZV |
| 10354 | 8 | Bolt M12 x 45 DIN 931 8.8 FZV |
| 11457 | 6 | Truss-head screw M6x12 |
| 11509 | 8 | Countersunk bolt M4x25 |
| 12047 | 44 | Washer 8,4 DIN 125A -140HV FZV |
| 12067 | 68 | Washer 13 DIN 125A -140HV FZV |
| 12178 | 16 | Washer 13 x 37 x 3 DIN 9021 FZV |
| 13211 | 40 | Lock nut M12 |
| 59015 | 2 | Cover, plastic |
| 59065 | 1 | Level glass |
| 59066 | 1 | Filler cap |
| 59174 | 2 | Fitting 1 1/4" BSP / 1 1/2" BSP |
| 59176 | 2 | Gasket 1 1/4" |
| 59328 | 2 | Fitting 1 1/2" |
| 77138 | 2 | Cylinder bracket |
| 77157 | 2 | Cover bracket right |
| 77158 | 2 | Cover bracket left |
| 79706 | 1 | Hydraulic tank |
| 79743 | 1 | Cover oil cooler |
| 79749 | 1 | Bracket, oil cooler |
| 79793 | 1 | Front bracket, oil cooler |
| 79794 | 1 | Rear bracket, oil cooler |
| 79797 | 1 | Cover above oil cooler |
| 79798 | 1 | Cover above pump |
| 79800 | 1 | Cover, front hydraulic tank |
| 79844 | 2 | Chain link Kohlswa Ewart 78, modified |
| 79845 | 2 | Chain link plate |
| 81199 | 1 | Oil cooler |
| 81310 | 4 | Hultafors Libelle leveller NV 702 |
| 81316 | 8 | Spring |
| 81376 | 1 | Thermostat |
| 81623 | 3 | Fan for oil cooler 81199 |




| Part number | Qty | Description |
|-------------|-----|--------------------------------------|
| 10356 | 28 | Bolt M12 x 50 DIN 931 8.8 FZV |
| 10364 | 4 | Bolt M12 x 90 DIN 931 8.8 FZV |
| 10507 | 3 | Bolt M16 x 150 DIN 933 8.8 FZV |
| 12067 | 68 | Washer 13 DIN 125A -140HV FZV |
| 12078 | 8 | Washer 17 DIN 125A -140HV FZV |
| 13013 | 2 | Nut M16 DIN 934 |
| 13211 | 40 | Lock nut M12 |
| 15607 | 22 | Washer M8, rust free |
| 50601 | 4 | Wire-pulley ø75x16 |
| 13209 | 1 | Lock nut M8 |
| 77404 | 4 | Pulley holder |
| 78930 | 1 | Bracket, parking brake |
| 15935 | 2 | Welding plate for plastic tube clamp |
| 78931 | 2 | Clamp plate, bracket, parking brake |
| 78981 | 1 | Double tee-connection |
| 77230 | 4 | Chamber support bracket |
| 79790 | 1 | Support rod |




| Part number | Qty | Description |
|-------------|-----|--------------------------------------|
| 10346 | 2 | Bolt M12 x 25 DIN 933 8.8 FZV |
| 11101 | 4 | Bolt M8x40 DIN 603 A4 80 |
| 11116 | 12 | Bolt M8x25 DIN 603 A4 80 |
| 12067 | 68 | Washer 13 DIN 125A -140HV FZV |
| 12078 | 8 | Washer 17 DIN 125A -140HV FZV |
| 14004 | 2 | Grease nipple M6x1 |
| 50015 | 204 | Chain link Kohlswa Ewart 78 |
| 59026 | 4 | Bearing 6206 2RS |
| 59082 | 2 | Sprocket, impeller |
| 77186 | 1 | Tray, stainless steel, front |
| 77237 | 34 | Carrier |
| 77633 | 2 | Rubber, scraper, belt under |
| 77639 | 2 | Bolt, chain sprocket |
| 77640 | 2 | Locking, chain sprocket bolt |
| 77641 | 2 | Bolt, locking, sprocket |
| 78697 | 1 | Bottom tray, stainless steel, middle |
| 78698 | 1 | Bottom tray, stainless steel, rear |
| 79742 | 1 | Main frame, DENS-X / HI-X |
| 80005 | 1 | Plywood board |






DETAIL B






| Part Number | Qty. | Title |
|-------------|------|--|
| 59655 | 1 | Belt, front chamber, w/lock, EP 500/4 3+1 |
| 59656 | 1 | Belt, front chamber, endless, EP 500/4 3+1 |
| 59657 | 1 | Belt, rear chamber, w/lock, EP 500/4 3+1 |
| 59658 | 1 | Belt, rear chamber, endless, EP 500/4 3+1 |
| 59786 | 1 | Alligator clip, mechanical belt lock w/tools (Not shown) |










| Part number | Qty | Description |
|-------------|-----|--------------------|
| 59079 | 1 | Cylinder 50x30x600 |
| 59078 | 1 | Cylinder 40x25x400 |



| Part number | Qty | Description |
|-------------|-----|------------------------------|
| 59939 | 1 | Filter element, low pressure |
| 59734 | 1 | Suction filter |
| 59381 | 1 | Filter element, pressure |




| Part number | Qty | Description |
|-------------|-----|----------------------------------|
| 56755 | 1 | Manometer |
| 59958 | 1 | Hydraulic manifold HIC 1 |
| 59959 | 1 | Hydraulic manifold HIC 2 |
| 59960 | 1 | Comatrol HIC 3 (net/film system) |
| 80175 | 1 | Hydraulic manifold HIC 4 |



Cabinet front removed




| Part number | Qty | Description |
|-------------|-----|--------------------------------------|
| 59958 | 1 | Hydraulic manifold HIC 1 |
| 80301 | 1 | Body HIC 1 |
| 80305 | 1 | Check valve |
| 80306 | 2 | Check valve, piloted, 90 lpm |
| 80307 | 4 | Check valve, piloted, 35 lpm |
| 80308 | 1 | Compensator, 7 bar, size 10 |
| 80309 | 1 | Compensator, 7 bar, size 12 |
| 80310 | 1 | Flow control valve 15 lpm |
| 80313 | 1 | Plug 3/8 (inside body) |
| 80314 | 4 | Orifice screw M8x1 (inside body) |
| 80315 | 1 | Plug SAE 10 |
| 80316 | 2 | Plug SAE 4 |
| 80318 | 4 | Plug SAE 8 |
| 80319 | 1 | Proportional valve 40 lpm |
| 80320 | 1 | Proportional valve 60 lpm |
| 80324 | 2 | Proppet valve, NC |
| 80327 | 1 | Proppet valve, NC, one way free flow |
| 80332 | 1 | Relief valve DO 150 bar |
| 80333 | 1 | Relief valve DO 170 bar |
| 80337 | 1 | Spool valve 3-pos, 2T+U |
| 80343 | 1 | Spool valve 3-pos, Y |
| 80344 | 2 | Spool valve 3-pos, Y |
| 80345 | 1 | Coil for PSV10 |
| 80346 | 1 | Coil for PSV12 |
| 80347 | 7 | Coil for SV10, SVP10, EVK06 |
| 80348 | 4 | Coil for SV15 |
| 80350 | 1 | Restrictor valve 10 lpm (knob) |
| 80351 | 4 | Restrictor valve 10 lpm (Key) |



BOTTOM VIEW

TOP VIEW




BACK VIEW




Compactor
HIC 1


| Part number | Qty | Description |
|-------------|-----|----------------------------------|
| 59959 | 1 | Hydraulic manifold HIC 2 |
| 80302 | 1 | Body HIC 2 |
| 80306 | 2 | Check valve, piloted, 90 lpm |
| 80309 | 1 | Compensator, 7 bar, size 12 |
| 80311 | 1 | Flow control valve 30lpm |
| 80312 | 1 | Plug 1/2" |
| 80313 | 1 | Plug 3/8" (inside body) |
| 80314 | 1 | Orifice screw M8x1 (inside body) |
| 80315 | 2 | Plug SAE 10 |
| 80316 | 1 | Plug SAE 4 |
| 80317 | 2 | Plug SAE 6 |
| 80320 | 1 | Proportional valve 60 lpm |
| 80328 | 1 | Shuttle valve |
| 80329 | 1 | Relief valve 40-250 bar |
| 80337 | 2 | Spool valve 3-pos, 2T+U |
| 80340 | 1 | Spool valve 3-pos, 4T |
| 80343 | 1 | Spool valve 3-pos, Y |
| 80346 | 1 | Coil for PSV12 |
| 80348 | 8 | Coil for SV15 |








| Part number | Qty | Description |
|-------------|-----|----------------------------------|
| 59960 | 1 | Comatrol HIC 3 (net/film system) |
| 80303 | 1 | Body HIC 3 |
| 80305 | 2 | Check valve |
| 80325 | 1 | Poppet valve, NC |
| 80330 | 1 | Relief valve 7-55 bar |
| 80349 | 1 | Coil for SVP08 |
| 80350 | 1 | Restrictor valve 10 lpm (knob) |




| Part number | Qty | Description |
|-------------|-----|-------------------------------------|
| 80175 | 1 | Hydraulic manifold HIC 4 |
| 80304 | 1 | Body HIC 4 |
| 80305 | 1 | Check valve |
| 80317 | 1 | Plug SAE 6 |
| 80318 | 1 | Plug SAE 8 |
| 80326 | 2 | Poppet valve, NC, One way free flow |
| 80331 | 1 | Relief valve D0 120 bar |
| 80334 | 2 | Relief valve D0 180 bar |
| 80335 | 1 | Relief valve D0 190 bar |
| 80336 | 1 | Spool valve 2-pos, II |
| 80341 | 1 | Spool valve 3-pos, H |
| 80347 | 1 | Coil for SV10, SVP10, EVK06 |
| 80348 | 2 | Coil for SV15 |
| 80349 | 2 | Coil for SVP08 |
| 80354 | 1 | Restrictor valve 45 lpm (key) |









80867
Ultrasonic sensor



78979
Temperature sensor



78980
Level sensor



81469
Ultrasonic sensor
use cable 80195




80718
Pressure sensor 0-600 bar




80207
Pressure sensor 0-250 bar




59005
Inductive transducer




59985 Display unit




80733 Adapter cable AMPSEAL-M12




81306 Connection cable, 5meter




80505 RAM-fastener, foot




80504 RAM-fastener, complete




80202 M12-contact Quickon




59007 Sensor cable




80195 Cable 5-lead for sensor 81469




59006 Sensor cable 4-lead




80004 Emergency switch




59943 Control unit




80115 Siren




59581 Flood light




81038 Marker light, left LED



59984 Charging indicator lamp




81039 Marker light, right LED




81037 Agripoint Full LED 5 pin connector




80113 Light bulb 24V 4W




59949 Battery 12V 44Ah




80063 Battery terminal shoe, minus




80064 Battery terminal shoe, plus




80066 Battery bridge cable




59310 Valve cable with diode, 3 meter




80885 Valve cable with diode, 5 meter




79890 Cable for oil cooler, complete




81074 Main power switch



59045 Switch



80107 Cabinet for control system, complete




59984 Charging indicator lamp


80936 Alternating switch

59045 Switch

59977 Cabinet for control system

| Part number | Qty | Description |
|-------------|-----|--------------------------------------|
| 13607 | 9 | Pan bolt M5x12 |
| 192570 | 1 | Back plate rittal |
| 57833 | 2 | Fuse 5A |
| 58687 | 1 | Fuse 10A |
| 59443 | 3 | Fuse 15A |
| 59943 | 2 | Control unit |
| 67341 | 1 | Fuse 3A |
| 80489 | 1 | Relay DPST-NO 20A for DIN-rail |
| 80490 | 1 | Weidmüller ZAP ZDU6-2 |
| 80491 | 8 | Weidmüller ZDU 4-2/3AN |
| 80492 | 2 | Weidmüller ZEI 16-2/1AN |
| 80493 | 1 | Weidmüller ZQV 6/24 kappet |
| 80494 | 1 | Weidmüller ZQV 4/10 |
| 80495 | 7 | Weidmüller ZSI 6-2/FC |
| 80496 | 11 | Stopper, Wago 249-116 |
| 80498 | 12 | terminal block, Wago 270-480 |
| 80499 | 138 | Wago 270-560 terminal block |
| 80500 | 3 | Plug, Wago 870-402 |
| 80502 | 3 | DIN-rail L=260 |
| 80503 | 1 | DIN-rail L=355 |
| 80509 | 4 | Pan bolt M6X25 |
| 80700 | 4 | Wago 870-826 terminal block |
| 80701 | 11 | Wago 870-831 terminal block |
| 80702 | 3 | Cable duct b25 x l275 |
| 80703 | 1 | Cable duct, b40 x l275 |
| 80704 | 1 | Cable duct, b40 x l340 |
| 80878 | 2 | Relay, alternating, 24V w/resistor |
| 80879 | 3 | Relay socket, 5-pole for 30/40 relay |
| 81240 | 1 | Relay, alternating, 24V m. diode |







78872
Complete Flexible Drawbar
without Hydraulic Hoses

80475
Complete Flexible Drawbar
with Hydraulic Hoses


| Part number | Qty | Description |
|-------------|-----|--|
| 12036 | 2 | Washer 6,4 DIN 125A -140HV FZV |
| 14002 | 3 | Grease nipple M8x1 |
| 15141 | 2 | Bolt M6x30, cylinderhead |
| 50605 | 4 | Bonded seal 3/8" |
| 59178 | 4 | Adaptor 3/8"-3/8" |
| 10346 | 2 | Bolt M12 x 25 DIN 933 8.8 FZV |
| 12047 | 2 | Washer 8,4 DIN 125A -140HV FZV |
| 15031 | 4 | Eye bolt M8x30 |
| 13209 | 4 | Lock nut M8 |
| 12060 | 1 | Washer 10,5 DIN 125A -140HV FZV |
| 78695 | 1 | Cylinder lock right |
| 78565 | 1 | Cylinder lock left |
| 78611 | 2 | Buckling bolt ø35, complete |
| 78609 | 2 | Bolt |
| 78593 | 2 | Unlocking, draw bar, hinge bracket |
| 78561 | 2 | Spacer |
| 12093 | 4 | Washer 25 DIN 125A -140HV FZV |
| 14101 | 4 | Splint ø8x40 |
| 10295 | 2 | Bolt M10 x 20 DIN 933 8.8 FZV |
| 12067 | 6 | Washer 13 DIN 125A -140HV FZV |
| 15156 | 4 | Bolt M8 x 30 ISO 4762 12.9 flZn |
| 80804 | 2 | Spring |
| 12178 | 4 | Washer 13 x 37 x 3 DIN 9021 FZV |
| 10359 | 2 | Bolt M12 x 60 DIN 931 8.8 FZV |
| 13211 | 2 | Lock nut M12 |
| 13011 | 2 | Nut M12 |
| 78591 | 2 | Wire guide |
| 78558 | 1 | Cardan shaft |
| 78584 | 2 | Hydraulic cylinder |
| 78586 | 1 | Tilt cylinder |
| 78631 | 1 | Hydraulics, buckling cylinder |
| 80447 | 1 | Banjo 1/2 with tube ø15 x 100 |
| 78602 | 1 | Ring fitting 1/2"-3/8" |
| 54626 | 2 | Banjo bolt 1/2" |
| 53306 | 4 | Gasket 1/2" |
| 78592 | 1 | Locking block |
| 59177 | 2 | Adaptor 3/8"-1/4" |
| 59226 | 2 | T-connection 1/4"-1/4" |
| 55079 | 1 | Fitting 3/8" utv.-3/8" innv. |
| 54512 | 1 | Male stud BSP coupling 3/16" GE15L-6BM |
| 78621 | 1 | Union nut 15L |
| 78564 | 1 | Cutting ring 15L |
| 78570 | 1 | Double shock valve 1/2" |
| 80710 | 1 | PTO drive shaft |




| Part number | Qty | Description |
|--------------------------|-----|--------------------------------|
| 10350 | 2 | Bolt M12x35 |
| 12067 | 2 | Washer 13 DIN 125A -140HV FZV |
| 12088 | 16 | Washer 21 DIN 125A -140HV FZV |
| 13215 | 8 | Lock nut M20 |
| 15184 | 8 | Bolt M20 x 90 ISO 4762 |
| 57577 | 2 | Plain bearing Ø40/44x55x25 |
| 59277 | 1 | Draw bar eye, turnable |
| 78612 | 2 | Buckling bolt ø40, complete |
| 78875 | 1 | Channel for hose |
| 78876 | 1 | Cap, channel for hose |
| 78877 | 1 | Hose holder, right |
| 78878 | 1 | Hose holder, left |
| 78879 | 1 | Support for PTO |
| 79818 | 1 | Front section drawbar |
| Hoses & Cable | | |
| 78580 | 2 | Hydraulic hose 1/4" 2SN L=3280 |
| 78581 | 2 | Hydraulic hose 1/4" 2SN L=3100 |
| 78582 | 2 | Hydraulic hose 1/4" 2SN L=3750 |
| 78583 | 4 | Hydraulic hose 1/4" 2SN L=680 |
| 78622 | 1 | Release cable |








| Part number | Qty | Description |
|-------------|-----|--------------------------------------|
| 78569 | 1 | Cover tube, front, weldment parts |
| 78556 | 1 | Shaft flange |
| 78604 | 1 | Spherical roller bearing ø40 |
| 78589 | 1 | Bearing housing ø80 |
| 78573 | 1 | Drive tube, front, Ø50x6 ø38H7 |
| 78571 | 1 | Drive shaft ø35 |
| 14110 | 4 | Splint ø6x50 |
| 14108 | 4 | Splint ø10x50 |
| 81187 | 2 | Bearing ø60/65x75x25 |
| 78587 | 1 | Bearing housing ø72, front |
| 78605 | 1 | Spherical roller bearing ø35 |
| 11329 | 14 | Bolt M8x35, cylinderhead |
| 12470 | 14 | Wedge-locking washer, Schnorr, M8 |
| 78613 | 1 | Buckling bolt ø60, complete |
| 78610 | 1 | Buckling bolt ø30, complete |
| 57577 | 2 | Plain bearing Ø40/44x55x25 |
| 10346 | 2 | Bolt M12 x 25 DIN 933 8.8 FZV |
| 12452 | 2 | Wedge-locking washer, Nord-Lock, M12 |
| 14002 | 1 | Grease nipple M8x1 |
| 14004 | 3 | Grease nipple M6x1 |
| 12047 | 2 | Washer 8,4 DIN 125A -140HV FZV |
| 15031 | 4 | Eye bolt M8x30 |
| 13209 | 4 | Lock nut M8 |
| 10300 | 1 | Bolt M10x16 |
| 12060 | 1 | Washer 10,5 DIN 125A -140HV FZV |
| 80472 | 4 | Pipe clamp double 18 mm |
| 80410 | 4 | Pipe clamp double 14 mm |
| 80411 | 4 | Topp-Plate 14-18mm dobbel Stauff |
| 82131 | 2 | Locking arm support |







| Part number | Qty | Description |
|-------------|-----|--|
| 10493 | 8 | Bolt M16 x 50 DIN 933 8.8 FZV |
| 11329 | 14 | Bolt M8x35, cylinderhead |
| 12078 | 12 | Washer 17 DIN 125A -140HV FZV |
| 12470 | 14 | Wedge-locking washer, Schnorr, M8 |
| 13213 | 4 | Lock nut M16 |
| 14002 | 1 | Grease nipple M8x1 |
| 14004 | 2 | Grease nipple M6x1 |
| 14108 | 4 | Splint $\varnothing 10 \times 50$ |
| 14110 | 4 | Splint $\varnothing 6 \times 50$ |
| 78556 | 1 | Shaft flange |
| 78563 | 1 | Drive tube, rear, $\varnothing 50 \times 6$ $\varnothing 38 \text{H8}$ |
| 78568 | 1 | Cover tube, rear, weldment parts |
| 78571 | 1 | Drive shaft $\varnothing 35$ |
| 78587 | 1 | Bearing housing $\varnothing 72$, front |
| 78589 | 1 | Bearing housing $\varnothing 80$ |
| 78594 | 1 | Unlocking hinge |
| 78604 | 1 | Spherical roller bearing $\varnothing 40$ |
| 78605 | 1 | Spherical roller bearing $\varnothing 35$ |
| 78608 | 1 | End plate |
| 78613 | 1 | Buckling bolt $\varnothing 60$, complete |
| 81187 | 2 | Bearing $\varnothing 60/65 \times 75 \times 25$ |







| Part number | Qty | Description |
|-------------|-----|-------------------------|
| 81190 | 1 | Draw bar eye, turnable |
| 81328 | 1 | Drawbar eye, ball hitch |
| 81329 | 1 | Drawbar eye, euro |
| 80180 | 1 | Draw bar eye, turnable |



| Part number | Qty | Description |
|-------------|-----|------------------------|
| 59278 | 1 | Drawbar eye, Euro |
| 59277 | 1 | Draw bar eye, turnable |
| 59276 | 1 | Draw bar eye, ball |


| Part number | Qty | Description |
|-------------|-----|--|
| 78624 | 1 | PTO drive shaft, wide angle, 6-spline |
| 81172 | 1 | PTO drive shaft, wide angle, 8-spline |
| 81086 | 2 | PTO drive shaft, wide angle, 21-spline |






80800


| Part number | Qty | Description |
|-------------|-----|----------------------------------|
| 10489 | 8 | Bolt M16 x 40 DIN 933 8.8 FZV |
| 11120 | 2 | Bolt M6 x 16 |
| 12278 | 8 | Spring washer 16,2 DIN 127 B FZV |
| 13208 | 2 | Lock nut M6 |
| 78732 | 1 | Middle cover, right |
| 78733 | 1 | Middle cover, left |
| 78793 | 2 | Nut plate, cylinder bracket |
| 78803 | 2 | Extra hatch, middle cover |
| 78868 | 1 | Brush |
| 78935 | 1 | Tightening plate, right |
| 78936 | 1 | Tightening plate, left |
| 78954 | 1 | Spillage tray, F25 |
| 78983 | 4 | Bracket for ball valves |
| 79867 | 4 | Locking unit |
| 79903 | 1 | Key |
| 13041 | 8 | Weld Nut M10 DIN 929 |
| 13042 | 30 | Weld Nut M12 DIN 929 |
| 53306 | 2 | Gasket 1/2" |
| 10246 | 4 | Bolt M8 x 25 DIN 933 8.8 FZV |
| 16529 | 1 | Bolt M10 x 40 DIN 933 Black |
| 16529 | 1 | Bolt M10 x 40 DIN 933 Black |
| 82219 | 2 | Cap PVC Ø28,6 x 38,1 |




| Part number | Qty | Description |
|-------------|-----|---|
| 12060 | 2 | Washer 10,5 DIN 125A -140HV FZV |
| 16503 | 2 | Bolt M8x20, black |
| 77206 | 1 | Sealing plate, left spill tray |
| 77207 | 1 | Sealing plate, right spill tray |
| 13041 | 8 | Weld Nut M10 DIN 929 |
| 13042 | 30 | Weld Nut M12 DIN 929 |
| 77025 | 1 | Tightener, left side |
| 77026 | 1 | Tightener, right side |
| 77369 | 1 | Winding protection, lower |
| 77598 | 2 | Upper cover |
| 77362 | 1 | Bracket, upper fastener, left |
| 77576 | 2 | Upper cover, reinforcement sealing plate |
| 78728 | 1 | Side cover, left |
| 78513 | 1 | Cylinder bracket, left |
| 77016 | 1 | Shaft, tightening side |
| 77351 | 2 | Adjustment plate, plow |
| 78828 | 1 | Plow |
| 55016 | 4 | Bearing UCFCX08 |
| 77382 | 2 | Winding protection bearing |
| 12161 | 4 | Washer 17 x 50 x 3 DIN 9021 FZV |
| 13209 | 14 | Lock nut M8 |
| 11447 | 1 | Lense head bolt M12x30 |
| 10305 | 16 | Bolt M10x45 |
| 15301 | 3 | Bolt M14x20 |
| 10297 | 1 | Bolt M10 x 25 DIN 933 8.8 FZV |
| 10246 | 4 | Bolt M8 x 25 DIN 933 8.8 FZV |
| 13612 | 1 | Pan bolt M8x20 |
| 13606 | 4 | Pan bolt M10x25 |
| 12178 | 8 | Washer 13 x 37 x 3 DIN 9021 FZV |
| 10348 | 8 | Bolt M12 x 30 DIN 933 8.8 FZV |
| 12267 | 8 | Spring washer 12,2 DIN 127 B FZV |
| 13013 | 2 | Nut M16 DIN 934 Cl.8 FZV |
| 15215 | 2 | Bolt M16 x 180 DIN 933 8.8 FZV |
| 15505 | 2 | Circlip A30x1,5 |
| 78867 | 17 | Carrier |
| 50015 | 164 | Chain link Kohlswa Ewart 78 |
| 15905 | 4 | Button head screw w/flange M8x20 |
| 82088 | 1 | Lower tower with bracket, right, platform |
| 16529 | 1 | Bolt M10 x 40 DIN 933 Black |
| 82089 | 1 | Lower tower with bracket, left, platform |
| 16529 | 1 | Bolt M10 x 40 DIN 933 Black |
| 79844 | 2 | Chain link Kohlswa Ewart 78, modified |
| 79845 | 2 | Chain link plate |
| 79650 | 1 | Bracket, safety cover, right |
| 79656 | 1 | Bracket, safety cover, left |
| 52507 | 2 | Key 12x8x50 DIN 6885 A |
| 59081 | 2 | Sprocket |





| Part number | Qty | Description |
|-------------|-----|--|
| 77024 | 1 | Frame, elevator |
| 13041 | 8 | Weld Nut M10 DIN 929 |
| 13042 | 30 | Weld Nut M12 DIN 929 |
| 77110 | 1 | Winding protection |
| 77598 | 2 | Upper cover |
| 77363 | 1 | Bracket, upper fastener, right |
| 77576 | 2 | Upper cover, reinforcement sealing plate |
| 78727 | 1 | Side wall, right |
| 78514 | 1 | Cylinder bracket, right |
| 78866 | 1 | Bracket, elevator gear |
| 78869 | 1 | Counting wheel, elevator |
| 59038 | 1 | Gear RT 90 |
| 59056 | 1 | Motor OR160C |
| 10350 | 2 | Bolt M12x35 |
| 12067 | 2 | Washer 13 DIN 125A -140HV FZV |
| 35010 | 2 | Fitting 1/2"-1/2" |
| 53306 | 2 | Gasket 1/2" |
| 77506 | 2 | Plastic guide rail for belt |
| 77154 | 1 | Visaform plate, lower |
| 55016 | 4 | Bearing UCFCX08 |
| 59081 | 2 | Sprocket |
| 12161 | 4 | Washer 17 x 50 x 3 DIN 9021 FZV |
| 12060 | 20 | Washer 10,5 DIN 125A -140HV FZV |
| 11123 | 5 | Bolt M8x120 DIN 603 A4 80 |
| 12047 | 10 | Washer 8,4 DIN 125A -140HV FZV |
| 13209 | 14 | Lock nut M8 |
| 11101 | 5 | Bolt M8x40 DIN 603 A4 80 |
| 11447 | 1 | Lense head bolt M12x30 |
| 10305 | 16 | Bolt M10x45 |
| 15301 | 3 | Bolt M14x20 |
| 12260 | 4 | Spring washer 10,2 DIN 127 B FZV |
| 10299 | 4 | Bolt M10 x 30 DIN 933 8.8 FZV |
| 11116 | 4 | Bolt M8x25 DIN 603 A4 80 |
| 50805 | 2 | Key 10x8x50 |
| 52507 | 1 | Key 12x8x50 DIN 6885 A |
| 10402 | 1 | Bolt M14x50 |
| 15505 | 2 | Circlip A30x1,5 |
| 16529 | 1 | Bolt M10 x 40 DIN 933 Black |
| 57708 | 2 | Shims |
| 79650 | 1 | Bracket, safety cover, right |
| 82278 | 1 | Distance sleeve |
| 77015 | 1 | Driveshaft, elevator |
| 11303 | 2 | Set screw M12x12 |








| Part number | Qty | Description |
|-------------|-----|----------------------|
| 16243 | 1 | Sticker, Gjønnes |
| 16226 | 1 | Sticker, Orkel |
| 16228 | 1 | Sticker, DENS-X |
| 16231 | 1 | Sticker, green, left |
| 16307 | 1 | Sticker, green, left |



| Part number | Qty | Description |
|-------------|-----|---------------------------------|
| 78673 | 1 | Frame Top Cover Left |
| 78720 | 1 | Flexible mount, top cover |
| 78775 | 1 | Top cover, left |
| 78779 | 1 | Extension Top Cover Left |
| 78781 | 1 | Cover, film system, left |
| 12060 | 22 | Washer 10,5 DIN 125A -140HV FZV |
| 13210 | 12 | Lock nut M10 |
| 12067 | 12 | Washer 13 DIN 125A -140HV FZV |
| 10354 | 4 | Bolt M12 x 45 DIN 931 8.8 FZV |
| 13011 | 4 | Nut M12 |
| 10310 | 2 | Bolt M10 x 60 DIN 931 8.8 FZV |
| 10309 | 2 | Bolt M10x55 |
| 13010 | 4 | Nut M10 |
| 80785 | 2 | Slider, top cover |
| 79603 | 4 | Bushing, film system cover |
| 10307 | 4 | Bolt M10 x 50 DIN 931 8.8 FZV |
| 12047 | 2 | Washer 8,4 DIN 125A -140HV FZV |
| 11535 | 2 | Countersunk bolt M8x30 |
| 13209 | 2 | Lock nut M8 |
| 82445 | 1 | Flat bar, flexible mount |





| Part number | Qty | Description |
|-------------|-----|----------------------------------|
| 11114 | 2 | Locking head bolt M10x25 |
| 12060 | 22 | Washer 10,5 DIN 125A -140HV FZV |
| 13208 | 2 | Lock nut M6 |
| 13210 | 12 | Lock nut M10 |
| 13606 | 10 | Pan bolt M10x25 |
| 15141 | 2 | Bolt M6x30, cylinderhead |
| 15601 | 2 | Washer M6, rust free |
| 56870 | 1 | Lock Camlock 2812L |
| 63806 | 1 | Handle |
| 78786 | 1 | Cover, film roller storage, left |
| 78787 | 1 | Cover extension hatch L/R |
| 78795 | 1 | Hinge, cover, left |
| 78796 | 1 | Hinge, cover, right |
| 80174 | 2 | Gas strut Bansbach |



Cover
left





| Part number | Qty | Description |
|-------------|-----|---------------------------------|
| 10307 | 4 | Bolt M10 x 50 DIN 931 8.8 FZV |
| 10309 | 2 | Bolt M10x55 |
| 10310 | 2 | Bolt M10 x 60 DIN 931 8.8 FZV |
| 10354 | 4 | Bolt M12 x 45 DIN 931 8.8 FZV |
| 11535 | 2 | Countersunk bolt M8x30 |
| 12047 | 2 | Washer 8,4 DIN 125A -140HV FZV |
| 12060 | 16 | Washer 10,5 DIN 125A -140HV FZV |
| 12067 | 12 | Washer 13 DIN 125A -140HV FZV |
| 13011 | 4 | Nut M12 |
| 13209 | 2 | Lock nut M8 |
| 13210 | 8 | Lock nut M10 |
| 78672 | 1 | Frame Top Cover Right |
| 78720 | 1 | Flexible mount, top cover |
| 78773 | 1 | Top cover, right |
| 78777 | 1 | Extension Top Cover Right |
| 78783 | 1 | Cover, film system, right |
| 79603 | 4 | Bushing, film system cover |
| 80785 | 2 | Slider, top cover |
| 82445 | 1 | Flat bar, flexible mount |




PAGE 6


| Part number | Qty | Description |
|-------------|-----|-----------------------------------|
| 11114 | 2 | Locking head bolt M10x25 |
| 12060 | 22 | Washer 10,5 DIN 125A -140HV FZV |
| 13208 | 2 | Lock nut M6 |
| 13210 | 12 | Lock nut M10 |
| 13606 | 10 | Pan bolt M10x25 |
| 15141 | 2 | Bolt M6x30, cylinderhead |
| 15601 | 2 | Washer M6, rust free |
| 56870 | 1 | Lock Camlock 2812L |
| 63806 | 1 | Handle |
| 78785 | 1 | Cover, film roller storage, right |
| 78787 | 1 | Cover extension hatch L/R |
| 78795 | 1 | Hinge, cover, left |
| 78796 | 1 | Hinge, cover, right |
| 80174 | 2 | Gas strut Bansbach |




| Part number | Qty | Description |
|-------------|-----|--------------------------------|
| 10205 | 1 | Bolt M6 x 20 DIN 933 |
| 10248 | 1 | Bolt M8 x 30 DIN 933 8.8 FZV |
| 11504 | 1 | Countersunk bolt M6x20 |
| 12047 | 2 | Washer 8,4 DIN 125A -140HV FZV |
| 13208 | 2 | Lock nut M6 |
| 13209 | 1 | Lock nut M8 |
| 78893 | 1 | Base plate, lock |
| 78894 | 1 | Hook, lock |
| 78895 | 2 | Spacer, safety lock |
| 78896 | 1 | Safety lock, Torsion Spring |



| Part number | Qty | Description |
|-------------|-----|---------------------------------|
| 79649 | 1 | Extension Spil Tray |
| 81681 | 1 | Cover plate |
| 79720 | 1 | Right cover, below elevator |
| 79723 | 1 | Safety guard, right |
| 63806 | 1 | Handle |
| 10246 | 2 | Bolt M8 x 25 DIN 933 8.8 FZV |
| 15135 | 2 | Bolt M5x20, cylinderhead |
| 12029 | 2 | Washer M5 |
| 13207 | 2 | Lock nut M5 |
| 12047 | 2 | Washer 8,4 DIN 125A -140HV FZV |
| 12247 | 2 | Spring washer 8,1 DIN 127 B FZV |
| 10240 | 2 | Bolt M8 x 16 DIN 933 8.8 FZV |
| 77332 | 1 | Spillage cover, right |
| 13209 | 7 | Lock nut M8 |
| 79721 | 1 | Cover, below elevator, left |
| 79722 | 1 | Safety guard, left |



| Part number | Qty | Description |
|-------------|-----|-------------------------------------|
| 10201 | 4 | Bolt M6x16, threaded to head |
| 11446 | 8 | Bolt M8x20 |
| 12159 | 16 | Washer 6,4 x 18 x 1,6 DIN 9021 FZV |
| 12183 | 11 | Washer 9x35x2mm |
| 13031 | 2 | M8 blind nut |
| 13208 | 12 | Lock nut M6 |
| 15138 | 8 | M6x20 cylinderhead, galv. |
| 63806 | 4 | Handle |
| 82185 | 1 | Safetycover left |
| 82186 | 1 | Safety cover, right |
| 82187 | 1 | Hatch on safetycover for ball valve |
| 82188 | 1 | Sideflap for safetycover, lower |
| 82189 | 1 | Sideflap for safetycover, upper |





Chain cover
left side







Compactor
Cover and film roll holder

| Part number | Qty | Description |
|-------------|-----|-------------------------------|
| 10246 | 3 | Bolt M8 x 25 DIN 933 8.8 FZV |
| 10499 | 1 | Bolt M16 x 75 DIN 931 8.8 FZV |
| 11123 | 1 | Bolt M8x120 DIN 603 A4 80 |
| 12078 | 2 | Washer 17 DIN 125A -140HV FZV |
| 13209 | 8 | Lock nut M8 |
| 13213 | 1 | Lock nut M16 |
| 15607 | 7 | Washer M8, rust free |
| 57914 | 4 | Plain bearing |
| 58768 | 8 | Plastic cap ø60 |
| 63213 | 4 | Washer ø24/8,4x2 |
| 78670 | 1 | Film roller storage, left |
| 78674 | 2 | Shaft Plastic Magazine |
| 78675 | 1 | Counterpart Latch |
| 78890 | 1 | Cylinder bolt |
| 80172 | 1 | Hydraulic cylinder |
| 80928 | 2 | Rubber mount |




| Part number | Qty | Description |
|-------------|-----|-------------------------------|
| 10246 | 3 | Bolt M8 x 25 DIN 933 8.8 FZV |
| 10499 | 1 | Bolt M16 x 75 DIN 931 8.8 FZV |
| 11123 | 1 | Bolt M8x120 DIN 603 A4 80 |
| 12078 | 2 | Washer 17 DIN 125A -140HV FZV |
| 13209 | 8 | Lock nut M8 |
| 13213 | 1 | Lock nut M16 |
| 15607 | 7 | Washer M8, rust free |
| 57914 | 4 | Plain bearing |
| 58768 | 6 | Plastic cap ø60 |
| 63213 | 4 | Washer ø24/8,4x2 |
| 78669 | 1 | Film roller storage, right |
| 78674 | 2 | Shaft Plastic Magazine |
| 78675 | 1 | Counterpart Latch |
| 78890 | 1 | Cylinder bolt |
| 80172 | 1 | Hydraulic cylinder |
| 80928 | 2 | Rubber mount |






80432


| Part number | Qty | Description |
|-------------|-----|--|
| 10217 | 1 | Bolt M6x50 |
| 10244 | 27 | Bolt M8 x 20 DIN 933 8.8 FZV |
| 10248 | 6 | Bolt M8 x 30 DIN 933 8.8 FZV |
| 12047 | 109 | Washer 8,4 DIN 125A -140HV FZV |
| 12147 | 2 | Washer 8,4 x 24 x 2 DIN 9021 FZV |
| 12159 | 2 | Washer 6,4 x 18 x 1,6 DIN 9021 FZV |
| 12175 | 8 | Washer ø40/17x6 |
| 12247 | 3 | Spring washer 8,1 DIN 127 B FZV |
| 13212 | 2 | Lock nut M14 |
| 57537 | 12 | Bearing SBPFL204 |
| 57798 | 1 | Key 6x6x30 |
| 59055 | 1 | Motor OMS32C |
| 59177 | 1 | Adaptor 3/8"-1/4" |
| 59191 | 1 | Coupling 1/4" |
| 59318 | 1 | Elbow 1/4" utv. 1/4" innv. |
| 59405 | 2 | Spring |
| 59581 | 1 | Flood light |
| 59831 | 1 | Chain 1/2" |
| 77524 | 1 | Guide roller, front plastic binding |
| 77525 | 1 | Guide roller, rear plastic binding |
| 77526 | 1 | Guide roller, upper plastic binding |
| 77527 | 1 | Brake roller |
| 77602 | 1 | Sprocket |
| 77603 | 1 | Sprocket |
| 77605 | 1 | Signalplate for sensor, knife |
| 77607 | 1 | Bracket, brake motor |
| 77729 | 1 | Spacer |
| 77730 | 2 | Seamless tube ø21.3x3,2 |
| 78735 | 1 | Counting wheel |
| 79702 | 1 | Spacer, counting wheel, plastic tying unit |




| Part number | Qty | Description |
|-------------|-----|--|
| 10244 | 27 | Bolt M8 x 20 DIN 933 8.8 FZV |
| 10246 | 18 | Bolt M8 x 25 DIN 933 8.8 FZV |
| 10248 | 6 | Bolt M8 x 30 DIN 933 8.8 FZV |
| 10250 | 2 | Bolt M8x35 |
| 12047 | 109 | Washer 8,4 DIN 125A -140HV FZV |
| 12175 | 8 | Washer ø40/17x6 |
| 13209 | 56 | Lock nut M8 |
| 13212 | 2 | Lock nut M14 |
| 59405 | 2 | Spring |
| 77520 | 1 | Right side wall |
| 77521 | 1 | Left side wall |
| 77522 | 1 | Middle plate, front |
| 77523 | 1 | Middle plate, rear |
| 77538 | 1 | Crossbar |
| 77614 | 1 | Bottom frame |
| 77615 | 1 | Middle plate, under |
| 78037 | 1 | Reinforcement, cylinder bracket, right |
| 78734 | 1 | Bracket for brake block and emergency stop |
| 82348 | 1 | Bulkhead plate |





| Part number | Qty | Description |
|-------------|-----|-------------------------------------|
| 10244 | 27 | Bolt M8 x 20 DIN 933 8.8 FZV |
| 10248 | 6 | Bolt M8 x 30 DIN 933 8.8 FZV |
| 10259 | 2 | Bolt M8x60 |
| 12047 | 109 | Washer 8,4 DIN 125A -140HV FZV |
| 13209 | 56 | Lock nut M8 |
| 14111 | 1 | Splint ø6x30 |
| 15052 | 2 | Hairpin M2,5 |
| 57537 | 12 | Bearing SBPFL204 |
| 59390 | 4 | Bearing housing w/bearing, linear |
| 59391 | 2 | Cylinder 32x20x620 |
| 74918 | 2 | Plastic cone |
| 77524 | 1 | Guide roller, front plastic binding |
| 77525 | 1 | Guide roller, rear plastic binding |
| 77526 | 1 | Guide roller, upper plastic binding |
| 77527 | 1 | Brake roller |
| 77528 | 1 | Guiding roller 1, plastic |
| 77530 | 1 | Knife shaft |
| 77545 | 1 | Tube for plastic roller |
| 77547 | 2 | Spacer, tightener |
| 77569 | 2 | Shaft, linear bearing |
| 77600 | 2 | Net roll tightener |
| 77609 | 1 | Guiding roller 2, plastic |
| 80445 | 1 | PVC tube |
| 202161 | 1 | Torsion spring |




| Part number | Qty | Description |
|-------------|-----|--|
| 10217 | 1 | Bolt M6x50 |
| 10246 | 18 | Bolt M8 x 25 DIN 933 8.8 FZV |
| 10250 | 2 | Bolt M8x35 |
| 10256 | 2 | Bolt M8x50 |
| 10352 | 4 | Bolt M12 x 40 DIN 933 8.8 FZV |
| 10359 | 1 | Bolt M12 x 60 DIN 931 8.8 FZV |
| 10362 | 1 | Bolt M12 x 75 DIN 931 8.8 FZV |
| 10489 | 6 | Bolt M16 x 40 DIN 933 8.8 FZV |
| 12047 | 109 | Washer 8,4 DIN 125A -140HV FZV |
| 12067 | 8 | Washer 13 DIN 125A -140HV FZV |
| 12078 | 12 | Washer 17 DIN 125A -140HV FZV |
| 12159 | 2 | Washer 6,4 x 18 x 1,6 DIN 9021 FZV |
| 12175 | 8 | Washer ø40/17x6 |
| 12185 | 1 | Washer ø28/16x3 |
| 12247 | 3 | Spring washer 8,1 DIN 127 B FZV |
| 12267 | 4 | Spring washer 12,2 DIN 127 B FZV |
| 12453 | 7 | Nord-Lock washer M8 |
| 13209 | 56 | Lock nut M8 |
| 13211 | 2 | Lock nut M12 |
| 13213 | 6 | Lock nut M16 |
| 54501 | 2 | Spring Ø23/Ø17x120 |
| 56453 | 1 | Parallel Key 5x5x14 |
| 59055 | 1 | Motor OMS32C |
| 59387 | 2 | Knife |
| 59392 | 1 | Cylinder 35x15x190 |
| 77530 | 1 | Knife shaft |
| 77613 | 1 | Cover, behind plastic knife |
| 77614 | 1 | Bottom frame |
| 77616 | 1 | Cover, brake motor |
| 77730 | 2 | Seamless tube ø21,3x3,2 |
| 79702 | 1 | Spacer, counting wheel, plastic tying unit |
| 80445 | 1 | PVC tube |
| 82348 | 1 | Bulkhead plate |
| 82398 | 1 | Stringer |
| 82855 | 2 | Lifting point |




| Part number | Qty | Description |
|-------------|-----|---------------------------------------|
| 10244 | 27 | Bolt M8 x 20 DIN 933 8.8 FZV |
| 10246 | 18 | Bolt M8 x 25 DIN 933 8.8 FZV |
| 10250 | 2 | Bolt M8x35 |
| 10299 | 1 | Bolt M10 x 30 DIN 933 8.8 FZV |
| 10352 | 4 | Bolt M12 x 40 DIN 933 8.8 FZV |
| 12047 | 109 | Washer 8,4 DIN 125A -140HV FZV |
| 12060 | 4 | Washer 10,5 DIN 125A -140HV FZV |
| 12067 | 8 | Washer 13 DIN 125A -140HV FZV |
| 12175 | 8 | Washer $\varnothing 40/17 \times 6$ |
| 13212 | 2 | Lock nut M14 |
| 57537 | 12 | Bearing SBPFL204 |
| 59005 | 5 | Inductive transducer |
| 59405 | 2 | Spring |
| 78036 | 1 | Reinforcement, cylinder bracket, left |



| Part number | Qty | Description |
|-------------|-----|------------------------------------|
| 10201 | 1 | Bolt M6x16, threaded to head |
| 10310 | 1 | Bolt M10 x 60 DIN 931 8.8 FZV |
| 10352 | 4 | Bolt M12 x 40 DIN 933 8.8 FZV |
| 12047 | 109 | Washer 8,4 DIN 125A -140HV FZV |
| 12060 | 4 | Washer 10,5 DIN 125A -140HV FZV |
| 12147 | 2 | Washer 8,4 x 24 x 2 DIN 9021 FZV |
| 12159 | 2 | Washer 6,4 x 18 x 1,6 DIN 9021 FZV |
| 12175 | 8 | Washer ø40/17x6 |
| 12267 | 4 | Spring washer 12,2 DIN 127 B FZV |
| 13210 | 3 | Lock nut M10 |
| 13212 | 2 | Lock nut M14 |
| 15164 | 8 | Bolt M10 x 100 ISO 4762 |
| 15504 | 1 | Circlip A20x1,2 |
| 54829 | 2 | Bearing 6004 2RS |
| 59005 | 5 | Inductive transducer |
| 59597 | 1 | Bearing housing, linear |
| 59517 | 1 | Bearing, linear |
| 15545 | 2 | Seegering I 50 x 1,75 DIN 472 |
| 59391 | 2 | Cylinder 32x20x620 |
| 59396 | 1 | Motor OMS50C |
| 59397 | 2 | Bearing 6804 2RS |
| 59399 | 1 | Bearing ZZ 6204 P, one-way |
| 59405 | 2 | Spring |
| 59409 | 2 | Fork head |
| 59827 | 1 | Chain 1/2" |
| 59828 | 2 | Chain lock 1/2" |
| 77531 | 1 | Bracket for bearings, driveshaft |
| 77533 | 1 | Cylinder fastener, driveshaft |
| 77534 | 1 | Cylinder fastener, impeller |
| 77537 | 1 | Bracket for bearings, impeller |
| 77542 | 1 | Sprocket 08B z10 |
| 77543 | 1 | Sprocket 08B z19 |
| 77544 | 1 | Chain tightener |
| 77548 | 1 | Spacer, driveshaft |
| 77549 | 1 | Sensor bracket 1 |
| 77550 | 1 | Sensor bracket 2 |
| 77551 | 1 | Driveshaft feeding sprocket |
| 77552 | 1 | Impeller, feeding |
| 77553 | 1 | Driveshaft |
| 77569 | 2 | Shaft, linear bearing |
| 77730 | 2 | Seamless tube ø21,3x3,2 |




| Part number | Qty | Description |
|-------------|-----|----------------------------------|
| 56755 | 1 | Manometer |
| 59005 | 5 | Inductive transducer |
| 59177 | 1 | Adaptor 3/8"-1/4" |
| 59191 | 1 | Coupling 1/4" |
| 59318 | 1 | Elbow 1/4" utv. 1/4" innv. |
| 59960 | 1 | Comatrol HIC 3 (net/film system) |
| 80004 | 1 | Emergency switch |






78951



| Part number | Qty | Description |
|-------------|-----|--------------------------------------|
| 14414 | 2 | Wire Ø5 |
| 59313 | 2 | Wire guide |
| 59700 | 2 | Combi Air/Hydr. Brake T20 |
| 78952 | 1 | Axle 10 bolt |
| 80571 | 2 | Leaf spring |
| 80719 | 2 | Wheel 385/65R22,5 10 bolts |
| 59768 | 1 | Torque arm fixed |
| 59769 | 1 | Torque arm adjustable |
| 59765 | 2 | Bottom plate for leaf spring |
| 59762 | 4 | U-bolt |
| 59763 | 2 | Top plate for leaf spring |
| 80729 | 8 | Washer |
| 80730 | 8 | Nut |
| 59309 | 2 | Hydraulic hose 1/4" L=390 |
| 78930 | 1 | Bracket, parking brake |
| 15935 | 2 | Welding plate for plastic tube clamp |
| 78931 | 1 | Clamp plate, bracket, parking brake |
| 77404 | 2 | Pulley holder |
| 10364 | 2 | Bolt M12 x 90 DIN 931 8.8 FZV |
| 13211 | 4 | Lock nut M12 |
| 10356 | 2 | Bolt M12 x 50 DIN 931 8.8 FZV |
| 12067 | 8 | Washer 13 DIN 125A -140HV FZV |
| 50601 | 2 | Wire-pulley ø75x16 |
| 15214 | 4 | Bolt M12 x 45 DIN 933 |
| 14505 | 2 | Wire clamp |






78747












SEE PAGE 4






Mounted on frame
81073 Valve block assembly with 24V coil




81257
Wrapping
motor
assembly



| PART NUMBER | QTY. | DESCRIPTION |
|-------------|------|---------------------------|
| 10205 | 12 | Bolt M6x20 |
| 10246 | 2 | Bolt M8x25 |
| 10259 | 1 | Bolt M8x60 |
| 10303 | 8 | Bolt M10x40 |
| 10316 | 8 | Bolt M10x100 |
| 10348 | 6 | Bolt M12x30 |
| 10404 | 4 | Bolt M14x55, DIN 933 |
| 10581 | 2 | Bolt M20x80 |
| 11304 | 2 | Set screw M12x45 |
| 11334 | 1 | Set screw M8x10 |
| 11445 | 3 | Bolt M6x10 |
| 12029 | 8 | Washer M5 |
| 12036 | 12 | Washer M6 |
| 12047 | 2 | Washer M8 |
| 12060 | 32 | Washer M10 |
| 12067 | 14 | Washer M12 |
| 12072 | 8 | Washer M14 |
| 12088 | 2 | Washer M20 |
| 12147 | 1 | Washer ø24/8,4x2 |
| 12159 | 3 | Washer ø18/6,4 |
| 12178 | 3 | Washer ø37/13x3 |
| 12189 | 1 | Washer ø40/9x4 |
| 13008 | 12 | Nut M6 |
| 13009 | 3 | Nut M8 |
| 13208 | 4 | Lock nut M6 |
| 13209 | 1 | Lock nut M8 |
| 13211 | 21 | Lock nut M12 |
| 13212 | 4 | Lock nut M14 |
| 13215 | 2 | Lock nut M20 |
| 13624 | 2 | Screw 3,5 x 25 |
| 14105 | 4 | Splint ø8x50 |
| 14131 | 2 | Spring pin 4x26 DIN 1481 |
| 14613 | 14 | Pop-riwet 3,2 x 10 |
| 15161 | 2 | Bolt M12x45, cylinderhead |
| 15411 | 6 | Lock nut M18 |
| 15513 | 1 | Circlip A50x2,0 |
| 35633 | 1 | Bonded seal 1/4" |
| 50106 | 1 | Key 10x8x45 |
| 53306 | 3 | Gasket 1/2 |

| | | |
|-------|---|------------------------------------|
| 56996 | 2 | Stop switch |
| 57092 | 1 | Bracket, charcoal |
| 57093 | 1 | Slip ring module |
| 57142 | 4 | Spring retaining ring |
| 57143 | 2 | Roll tube |
| 57144 | 2 | Roll head |
| 57145 | 4 | Shaft |
| 58025 | 3 | Inductive Sensor M18 with cable |
| 58527 | 1 | Bearing housing |
| 58597 | 1 | Tension roller |
| 58605 | 1 | Inductive sensor, transducer |
| 58608 | 1 | Clamp roller |
| 58609 | 2 | Bearing UFL000N |
| 58635 | 1 | Fitting 1/4"-1/4" |
| 58797 | 2 | Roller frame compl. |
| 58798 | 1 | Drive roller |
| 58800 | 1 | Sprocket |
| 58804 | 1 | Sprocket |
| 58806 | 2 | Bearing, lower |
| 58813 | 4 | Spring |
| 58814 | 4 | Bearing UFL002N |
| 58825 | 1 | Soft roll |
| 58905 | 1 | Brake, wrapping arms |
| 58991 | 1 | Upper housing |
| 59185 | 1 | Fitting 1/2 - 1/2 |
| 59205 | 1 | BSP Tee 1/4 |
| 59366 | 2 | Film stretcher, complete |
| 59740 | 3 | Fitting 1/4 - 1/2 |
| 67219 | 1 | Film stretcher, frame for rollers |
| 78214 | 2 | Fastening bolt M10, film stretcher |
| 78357 | 2 | Rotation arm |
| 80277 | 2 | Emergency stop arm |
| 80278 | 1 | Rotating arms, axle |
| 80279 | 1 | Chain guard |
| 80280 | 1 | Adjusting plate M14 |
| 80281 | 2 | Film stretcher, frame |
| 81069 | 1 | Housing |
| 81070 | 1 | Cartridge valve WS10W |
| 81071 | 1 | Safety valve |
| 81072 | 1 | Coil for WS10W, 24V |

| | | |
|-------|---|-------------------------------------|
| 81073 | 1 | Valve block assembly, with 24V coil |
| 81257 | 1 | Wrapping motor assembly |
| 81258 | 1 | Chain wheel 1" Z9 |
| 81259 | 1 | Chain 1" |
| 81261 | 2 | Bearing 6210 2RS |
| 81266 | 2 | Spring tensioner |
| 81268 | 1 | Rubber plug 37x3 |
| 81269 | 2 | Rubber grommet 12x7 |
| 81270 | 1 | Motor |
| 81271 | 1 | Sealkit, motor |
| 81272 | 1 | Sealkit, brake |
| 81276 | 2 | Film holder upside |
| 81277 | 2 | Upper axle |
| 81278 | 2 | Spring |



78457
Chain covers
page 2




79300
Bale tipper
page 5



82124
Compressed air
cleaner system
page 4




80654
Remote controller
page 6




77727
Airbrakes
page 3


| Part Number | Qty. | Title |
|-------------|------|--------------------------------|
| 77751 | 1 | Chain cover, left feed hopper |
| 77752 | 1 | Chain cover, right feed hopper |
| 77753 | 1 | Chain cover, left elevator |
| 77754 | 1 | Chain cover, right elevator |




| Part Number | Qty. | Title |
|-------------|------|-----------------------------------|
| 59336 | 14 | Hose clamp 15-24mm |
| 59352 | 2 | Filter |
| 59353 | 1 | Release valve |
| 59354 | 1 | Brake valve |
| 59355 | 1 | Air tank |
| 59356 | 2 | Clamp for air tank |
| 59357 | 1 | Tank valve |
| 59358 | 3 | Plug M22 |
| 59359 | 3 | Nipple M16 |
| 59360 | 11 | Nipple M22 |
| 59361 | 1 | Coupling head |
| 59362 | 1 | Coupling head |
| 59363 | 25 | Hose |
| 77403 | 1 | Bracket, brake valves, air brakes |




Airbrakes



78992
Old bracket




DETAIL A




82126 Block assembly

| Part number | Qty | Description |
|-------------|-----|------------------------|
| 12029 | 6 | Washer M5 DIN 125A |
| 13207 | 6 | Nut M5 DIN 985 |
| 15169 | 6 | Bolt M5 x 70 ISO 4762 |
| 59594 | 3 | Block valve |
| 59638 | 4 | Pipe coupling |
| 59944 | 3 | Filter plug 1/4" |
| 78989 | 1 | Branch tube |
| 59634 | 2 | T-connection, copper |
| 59636 | 1 | Elbow 15mm, copper |
| 80731 | 3 | Coil 24 Vdc/48Vac 3,1W |
| 82759 | 1 | Bracket for airvalves |
| 59596 | 3 | Connector |



A


| Part number | Qty | Description |
|-------------|-----|-------------------------------------|
| 12036 | 12 | Washer 6,4 DIN 125A -140HV FZV |
| 13008 | 12 | Nut M6 |
| 14962 | 4 | Hose clamp 22-32mm |
| 15937 | 12 | Tube clamp 15 mm PP |
| 59758 | 4 | Hose tail |
| 78994 | 1 | Airhose 1, film system L=2400 |
| 78995 | 1 | Airhose 2, film system L=2400 |
| 82066 | 1 | Complete tubing front, air cleaning |
| 82067 | 1 | Complete tubing rear, air cleaning |
| 82120 | 2 | Railing, air cleaning system, |
| 82126 | 1 | Block assembly |
| 82127 | 1 | Hose assembly |
| 10217 | 12 | Bolt M6x50 |
| 60752 | 2 | Swaged elbow coupling |
| 59639 | 2 | Transition nipple |
| 82931 | 2 | Locking plate for air cleaning |



82127 Hose assembly

| Part number | Qty | Description |
|-------------|-----|----------------------------------|
| 14962 | 4 | Hose clamp 22-32mm |
| 15936 | 2 | Top plate for plastic tube clamp |
| 15937 | 4 | Tube clamp 15 mm PP |
| 59638 | 1 | Pipe coupling |
| 59639 | 3 | Transition nipple |
| 59640 | 1 | Tee tube |
| 59643 | 1 | Nipple 3/4" x 1/2" |
| 59758 | 4 | Hose tail |
| 60752 | 1 | Swaged elbow coupling |
| 78990 | 1 | Tube for spill tray right |
| 78991 | 1 | Tube for spill tray left |
| 59636 | 2 | Elbow 15mm, copper |
| 78990 | 1 | Tube for spill tray right |
| 78997 | 1 | Airhose 1, spill tray L=630 |
| 78998 | 1 | Airhose 2, spill tray L=3100 |


| Part Number | Qty. | Title |
|-------------|------|-------------------|
| 80654 | 1 | Remote controller |



Remote
controller







78772





DETAIL A

| Part number | Qty | Description |
|-------------|-----|---|
| 10297 | 1 | Screw M10 x 25 DIN 933 |
| 10299 | 4 | Bolt M10 x 30 DIN 933 8.8 FZV |
| 10299 | 4 | Screw M10 x 30 DIN 933 |
| 10301 | 2 | Bolt M10 x 35 DIN 933 8.8 FZV |
| 10303 | 8 | Screw M10 x 40 DIN 933 |
| 10305 | 2 | Bolt M10x45 |
| 10350 | 6 | Bolt M12x35 |
| 10352 | 2 | Bolt M12 x 40 DIN 933 |
| 10489 | 4 | Bolt M16 x 40 DIN 933 8.8 FZV |
| 11113 | 5 | Bolt M8x20 DIN 603 A4 80 |
| 12029 | 8 | Washer M5 |
| 12047 | 9 | Washer 8,4 DIN 125A -140HV FZV |
| 12060 | 11 | Washer 10,5 DIN 125A -140HV FZV |
| 12060 | 18 | Washer M10 DIN 125A |
| 12067 | 10 | Washer 13 DIN 125A -140HV FZV |
| 12072 | 4 | Washer M14 DIN 125A |
| 12078 | 4 | Washer 17 DIN 125A -140HV FZV |
| 12146 | 8 | Washer 10,5x30x2,5 DIN 9021 FZV |
| 12161 | 4 | Washer 17 x 50 x 3 DIN 9021 FZV |
| 12178 | 4 | Washer 13 x 37 x 3 DIN 9021 FZV |
| 13010 | 13 | Nut M10 DIN 934 |
| 13011 | 1 | Nut M12 DIN 934 |
| 13207 | 4 | Lock nut M5 |
| 13209 | 9 | Lock nut M8 |
| 13210 | 8 | Lock nut M10 |
| 13211 | 6 | Lock nut M12 |
| 13213 | 4 | Lock nut M16 |
| 13605 | 4 | Pan bolt M5x20 |
| 59581 | 2 | Flood light |
| 59701 | 1 | Step |
| 78805 | 1 | Fastener for staircase and platform |
| 78806 | 1 | Middle tube |
| 78807 | 1 | Top cover |
| 78811 | 1 | Underframe, storage |
| 78816 | 1 | Supporting rod, right |
| 78817 | 1 | Supporting rod, left |
| 78819 | 1 | Support for step |
| 78830 | 1 | Rear bow, storage |
| 78889 | 1 | Fastener for RAM bracket |
| 78891 | 1 | Bottom plate, remote control, film system |
| 78892 | 1 | Cover, remote control, film system |




| Part number | Qty | Description |
|-------------|-----|--|
| 78928 | 2 | Spacer |
| 80257 | 1 | Switch box for film system |
| 80412 | 1 | Frame for platform |
| 80416 | 1 | Bottom plate |
| 80417 | 1 | Railing tube |
| 80505 | 1 | RAM-fastener, foot |
| 80560 | 2 | U-clamp 42mm |
| 81223 | 1 | Sticker |
| 82087 | 1 | Upper tower with brackett, right, platform |
| 82090 | 1 | Upper tower with brackett, left, platform |
| 10297 | 1 | Bolt M10 x 25 DIN 933 8.8 FZV |
| 13043 | 2 | Lock nut M10 |
| 10312 | 2 | Bolt M10 x 70 DIN 931 8.8 FZV |
| 12067 | 11 | Washer M12 DIN 125A |
| 13010 | 1 | Nut M10 |









59688
PAGE 8





59690
PAGE 9




Cover removed

Compactor
left side







Main distributor




Distributor rear right



Distributor
front left







Hydraulic oil pump
and oil tank



| Part Number | Qty. | Title |
|-------------|------|------------------------------------|
| 10201 | 1 | Bolt M6x16, threaded to head |
| 10297 | 6 | Bolt M10x25 |
| 12036 | 1 | Washer M6 |
| 12060 | 12 | Washer M10 |
| 13210 | 6 | Lock nut M10 |
| 56816 | 1 | PVC hose |
| 56817 | 2 | Worm gear clamp |
| 57883 | 5 | Angular coupling 90° WE6 1/8" |
| 57884 | 2 | Sealing plug |
| 57885 | 4 | Non-return valve |
| 57886 | 40 | Double Cone Olive |
| 57887 | 40 | Cap screw US6 M10x1 |
| 57888 | 9 | Insert for ferrule |
| 57889 | 9 | Threaded ferrule |
| 57890 | m | High Pressure Hose |
| 57893 | m | Polyamid Tube |
| 57894 | 13 | Elbow 90° WEG 1/8" K |
| 57895 | 21 | Fitting GE 6LI R1/8" k |
| 57896 | 1 | Spiral protection ø8x4 (Not shown) |
| 57903 | 16 | Fitting |
| 57948 | 1 | Steel tube, ø6x1, galvanized |
| 57951 | 2 | Fitting |
| 58083 | 1 | Oil reservoir |
| 59677 | 1 | Hydraulic pump |

| Part Number | Qty. | Title |
|-------------|------|-------------------------------------|
| 59686 | 1 | Distributor front right |
| 59688 | 1 | Distributor front left |
| 59690 | 1 | Distributor rear left |
| 59692 | 1 | Clamp |
| 59696 | 3 | Grease brush |
| 59697 | 3 | Tube bow ø15 |
| 59869 | 1 | Main distributor |
| 59882 | 1 | Distributor rear right |
| 59910 | 3 | Elow builtow M8x1 |
| 59912 | 1 | Fitting Y-type |
| 78215 | 2 | Distribution block, MX-F 105, large |
| 78216 | 3 | Distribution block, MX-F 105, small |
| 78217 | 2 | Distribution block, MX-F 25, small |
| 78218 | 3 | Distribution block, MX-F 75, large |
| 78219 | 11 | Distribution block, MX-F 75, small |
| 78220 | 5 | Distribution block, MX-F 105, main |
| 78306 | 1 | EP-1, gasket 1 |
| 78307 | 1 | EP-1, gasket 2 |
| 78308 | 1 | EP-1, gasket 3 |
| 78309 | 1 | EP-1, gasket 4 |
| 78310 | 1 | EP-1, gasket 5 |
| 78311 | 1 | EP-1, gasket 6 |
| 78317 | 1 | EP-1, fitting 1 |
| 78320 | 1 | EP-1, fitting 4 |

| Part Number | Qty. | Title |
|-------------|------|-------------------------------|
| 78328 | 1 | EP-1, container, part 4 |
| 78334 | 1 | EP-1, grease nipple |
| 78335 | 1 | EP-1, cap for grease nipple |
| 78344 | 1 | EP-1, valve 3, part 1 |
| 78345 | 1 | EP-1, valve 3, part 2 |
| 80126 | 1 | Hydraulic hose 1/4" 2SN L=580 |
| 80967 | 1 | Greasepump EP-1 24V complete |
| 80968 | 1 | EP-1, contact for 80967 |
| 80969 | 1 | EP-1, valve |
| 80974 | 1 | Greasepump EP-1 24V |
| 80978 | 1 | Banjo union |
| 80980 | 1 | Pump element PE-120V |
| 80981 | 1 | Pump element PE-170GI |



Developing profitable customers

CONTACT



Johan Gjønnnes' veg 25
7320 Fannrem
Norway



Spare parts:
+47 913 23 511

Technical Support:
+47 918 43 553



parts@orkel.no



orkel.com

User resources



orkel.no/qr/dens-x