APPLICATION SCENARIOS



QUICK SPECS

275*180*40 mm
10.1 inch, >500 nits LED screen
9 V-36 V
1280*800
-20°C~70°C
-40°C~85°C
IP 65



Control Terminal



	GPS L1/L2, GLONASS L1/L2,
Frequency	BDS B1/B2/B3,Galileo E1/E5b
 Size	162*78 mm
 Operating Temp.	-20°C∼+70°C
 Storage Temp.	-40°C ~+85°C
 Waterproof & Dustproof	IP66



Electric Steering Wheel

Size	410 mm
Power Supply	12 V/ 24 V
Maximum Torque	20 Nm(12 V)/30 Nm(24 V)
Waterproof & Dustproof	IP65

SVEAVERKEN


Sveaverken is a Swedish company committed to farming and animal husbandry since 1911. It's the company's belief that automation and precision technologies will benefit both farmers and animals.

> www.sveaverken.com marketing@sveaverken.com

Sveaverken Svea Agri AB Högmossevägen 11, 641 39 Katrineholm, Sweden



SVEAVERKEN PRECISION AG TECHNOLOGY





F100 AUTO STEER SYSTEM

Sveaverken F100 features full GNSS RTK capability that delivers 2.5cm accuracy to reduce skips and overlaps and enhances agricultural productivity throughout farming seasons.



Compensation












MODULAR DESIGN





Electric Steering Wheel

REAL-TIME DISPLAY

F100 monitors and records speed, prompts speed and edge alerts, measures worked area, and tells offset values. All done in a real-time and accurate fashion.



HIGH-ACCURACY

With high-precision navigation technologies, F100 easily assists your tractor to deliver 2.5cm accuracy from pass to pass, under conditions of poor visibility and even at night.



Angle Sensor

STRAIGHT LINE & CURVE



With F100, the operator can follow evenly paralleled straight / curved lines to work, independent of experience or intuition.



GUIDANCE LINE SHIFT

Set the direction and distance to shift the current guidance line.

GUIDANCE LINE SYNC

Share guidance lines for increased efficiency and complete field coverage when two tractors are working in the same field.

TERRAIN COMPENSATION

Terrain compensation keeps passes straight and accurate on sloping and rough terrains.

